KÖNNER SÖHNEN

GARDEN



DIMAX GROUP

2027

Diamond Award Forbes 2025

GERMAN BRAND WINNER 2022

ZŁOTY MEDAL 2018



ENERGY

COMPANY DEVELOPMENT

EXCLUSIVE K&S-BRANDED ENGINES 3

COMPANY HISTORY 4

QUALITY CERTIFICATES AND INTERNATIONAL AWARDS 8

UNIFIED BATTERY SYSTEM 12

BATTERIES AND CHARGING DEVICES 15

CORDLESS STRING TRIMMERS 16

CORDLESS LAWN MOWERS 20

ROBOTIC LAWNMOWERS 22

HEDGE TRIMMERS AND GRASS TRIMMERS 24

CORDLESS PRUNING SHEARS 28

MINI CHAINSAWS 30

CORDLESS CHAINSAWS 32

CORDLESS VACUUMS AND BLOWERS 34

CORDLESS TOOLS 36



GRASS

ELECTRIC STRING TRIMMERS	46
GASOLINE STRING TRIMMERS	50
ELECTRIC LAWN MOWERS	54
GASOLINE LAWN MOWERS	58

SOIL

ELECTRIC TILLERS	90
GASOLINE TILLERS	92
ALL-SEASON MULTIFUNCTIONAL MACHINE 4 IN 1	100

WOOD

ELECTRIC CHAINSAWS	66
GASOLINE CHAINSAWS	68
AXES	76
ELECTRIC AND GASOLINE LOG SPLITTERS	78
WOOD CHIPPERS	84

WATER

HIGH-PRESSURE WASHERS	106
WATER PUMPS	110
K&S ACCESSORIES	116
BENEFITS FOR DEALERS	118
EXTENDED WARRANTY	119

DEAR CUSTOMERS AND PARTNERS,

Thank you for your trust and interest in **Könner & Söhnen®**.

We are proud to be part of your work and everyday life — helping to power what matters most.

Könner & Söhnen® started out in Germany more than fifteen years ago as a manufacturer of reliable generators, earning a reputation as a partner known for precision, integrity and lasting quality. Over time, we expanded our range to include garden equipment, giving customers access to **proven K&S solutions** — not only in power supply, but wherever reliability matters.

Our approach remains the same: **innovation rooted in tradition, high standards and genuine care for our customers.** These principles define everything we create — from powerful diesel units to compact garden tools designed for comfort and durability.

Traditions of German Quality

our DNA

We speak our customers' language — literally and figuratively. Our support team already works in eight languages and keeps growing, and our service centers operate in most European countries. In our offices and showrooms, our specialists advise customers and help them choose the right equipment — from home gardens to professional use in construction, agriculture or municipal services.

We are not just manufacturers or sellers, but trusted partners. **K&S** equipment is used in professional sectors — defense, medicine, municipal services — and in everyday life: in homes, gardens and garages. Our equipment serves where it is needed most. Across Europe, **K&S** products support social and charitable projects — from kindergartens and care homes for the elderly to animal shelters and fire stations. This is how we thank society — by providing reliable energy that helps people and strengthens communities.


By choosing **Könner & Söhnen®**, you get more than a product — you choose a partner who is always by your side: at work, at home and in every situation where reliable equipment matters.

EXCLUSIVE K&S-BRANDED ENGINES

Every **Könner & Söhnen® product** is equipped with our own line of modern, high-efficiency engines designed by German engineers specifically for **K&S**.

Every engine undergoes a full cycle of testing and inspection to guarantee reliability, efficiency and durability. Possible defects are detected and eliminated at the production stage — long before the equipment reaches the user.

We hold a license to manufacture K&S engines under our own brand and all the certificates confirming compliance with strict European and international standards, including the **EURO 5 emission standard**. This means our engines are not only powerful, but also economical and environmentally friendly.



KEY ADVANTAGES OF K&S ENGINES

- **Guaranteed rated power**
- **Reinforced wear-resistant components**
- **Extended service life**
- **Multi-level factory testing**
- **Individual serial number for every engine**
- **In-house K&S design and engineering**

Every engine installed in our generators or garden equipment has its own unique serial number. This ensures full traceability, strict quality control and reliable service support throughout the entire service life.

COMPANY HISTORY

2010-2014

Concept development

Research and development of our own engine for the gasoline generator series

2014

3 countries

Registration of the "Könner & Söhnen" trademark and foundation of the Dimax group of companies.

Launch of the first gasoline generator models.

2015-2016

6 countries

Start of production of a garden equipment line (tillers, water pumps).

Expansion into new markets.

2017-2018

10 countries

Inverter and diesel generators added to the range.

Entry into the Romanian market.

Received the prestigious "Gold Medal" award in the "Professionals' Choice" category.

2019-2020

15 countries

Breakthrough in research and development. Adoption of new technologies and rapid expansion of sales geography.

Creation of the e-commerce department and start of sales via online platforms.

Received the prestigious German Plus X Award in three categories: High Quality, Ease of Use, Functionality.

2021-2022

19 countries

Start of production of energy solutions based on eco-friendly power sources, including ESS and PPS.

Creation of a warehouse network and organization of efficient delivery across Europe.

Sales throughout Europe.

Winner of the German Brand Award 2022 in two categories. Company founded in the USA and representative offices opened in the United Kingdom and Spain.

2023

20+ countries

Structuring of the K&S Energy, K&S Garden, K&S Auto and K&S Construction categories.

Stronger research and development in the K&S ENERGY segment.

Sales expanded to the United States of America.

Forbes magazine named DIMAX International Poland Sp. z o.o. a "Forbes Diamonds 2023" winner as one of the most dynamically growing companies that chose the right business strategy based on its 2022 results.

2024

25+ countries

Sales expanded to the United Kingdom, the Netherlands and Denmark.

Purchase in 2024 of a 10 000 m² plot of land in Poland to create a central European hub — with offices, a showroom, a warehouse and areas for assembling and manufacturing products for the Polish and EU markets.

2025-2026

30+ countries

Rapid expansion of the garden equipment range with numerous new models, including a full line of cordless devices.

Signing of a license agreement with

Creation of the flagship inverter range Evolution by Könner&Söhnen.

COMPANY DEVELOPMENT





>30
COUNTRIES WORLDWIDE


>300
PRODUCTS

>500
POINTS OF SALE

100%
SERVICE SUPPORT







KÖNNER & SÖHNEN® IN 2025-2026

Könner & Söhnen® products deliver power, durability and reliability in **Europe, the United Kingdom, the USA, the Middle East, Africa, China and the UAE.**

From generators to garden equipment — every product is designed to outperform competitors in quality while remaining affordable and easy to use.

More than 20 years have passed, but our goal remains the same: to keep innovating to meet people's needs, and to continue serving with the care and integrity you expect from a trusted family brand.



HEAD OFFICE:
DIMAX International GmbH
Flinger Broich 203, FortunaPark 40235 Düsseldorf, Germany

QUALITY CERTIFICATES

Könner & Söhnen® equipment complies with European and international quality standards, including the EURO 5 emission requirements.

Every product is certified for efficiency, safety and environmental friendliness, confirming its compliance with the highest requirements of modern mechanical engineering.



INTERNATIONAL AWARDS

We are proud that the **quality and reliability** of **Könner & Söhnen®** products have been highly rated by international experts and recognized with prestigious awards.

Independent German experts in technical innovation carried out detailed research and testing, confirming that **K&S** creates reliable equipment that stands out from mass production — combining **unique engineering solutions, durability and ease of use**.

These awards only confirm what our customers already know: every **K&S** product is created with care, precision and sincere respect for those who rely on it.



FORBES DIAMONDS 2025

Poland•2025

Forbes magazine awarded **DIMAX International Poland Sp. z o.o.** the title of **Forbes Diamonds 2025** — as one of the most fastest-growing companie that has chosen the right development strategy and demonstrates stable growth.

The company's strategy focuses on building a wide product range with an emphasis on modern technologies and the creation of new exclusive solutions, as well as on the efficient internal and external organization of business processes, which has made this success possible.





EXCELLENT BRANDS

Germany • 2022

In 2022, **Könner & Söhnen®** equipment won the competition and received two **German Brand Award'22** awards in the categories:

- **Excellent Brands - Industry, Machines & Engineering**
- **Excellent Brands - Product Brand of the Year**

Out of 1200 entries submitted exclusively by German brands, independent experts recognized **Könner & Söhnen®** products in two **Excellent Brands categories.**
The evaluation criteria were clear, transparent and open.

PLUS X AWARD

Germany • 2019

In 2019, **Könner & Söhnen®** equipment received the prestigious German Plus X Award in three categories at once:

- **High Quality**
- **Ease of Use**
- **Functionality**

Plus X Award is one of the world's largest awards recognizing product quality and innovation.

German experts confirmed that **Könner & Söhnen®** products meet the highest quality standards and are designed with the needs of the most demanding users in mind.

EXPERTS' CHOICE

Poland • 2018

In 2018, **Könner & Söhnen®** products received the prestigious **"Gold Medal" award in the "Experts' Choice" category in Poland.**

Könner & Söhnen® equipment was highly rated by experienced European experts as equipment that meets the latest technological requirements.

This award confirms the high quality of the products and the strong production potential of **Könner & Söhnen®**.

PRODUCT OF THE YEAR

Ukraine • 2016

In 2016, **Könner & Söhnen® products** received the "Ukrainian National Olympus" award and were named **"Best Product of the Year"** in the garden equipment and generators category for value for money.

Könner & Söhnen® has firmly established itself in the mid-price segment, offering consumers reliable, high-quality equipment with all the necessary European certificates at an affordable, fair price.

BUSINESS CHEETAHS

Poland • 2022

Dimax International Poland Sp. z o.o. was recognized by the Institute of European Business in the XVII **Business Cheetahs 2022** competition, the XV **Polish Economy Diamonds 2022** competition, the XV **Effective Company 2022** competition and the IX **Strong Company 2022** competition — based on financial data obtained from the National Court Register of Poland.

DIAMOND OF THE POLISH ECONOMY



"BUSINESS CHEETAH" STATUETTE



STATUETTE "EFFECTIVE COMPANY"



STATUETTE "STRONG COMPANY"



The company is developing dynamically — the average growth rate of revenue and net profit in 2019–2020 was 454.86%, which earned us the **"Business Cheetah 2022"** title.
The **"Effective Company 2022"** title confirmed the efficiency of our operations — the average profitability for 2019–2020 was 10.7%. Together, this earned the **"Strong and Reliable Company 2022"** title.
The company's market value grew significantly in March 2021, which brought the **"Diamond of the Polish Economy 2022"** award.
Equipment from the German brand **Könner & Söhnen®** combines high quality with an affordable price.


POWER

TRADITION
DEUTSCHER
QUALITÄT



UNIFIED
battery system

20V

The Könner & Söhnen® Unified Battery System brings simplicity and practicality to garden work. A single 20V lithium-ion battery powers more than 50 cordless tools – from trimmers and hedge cutters to lawn mowers, blowers, and chainsaws.

Choose the battery capacity that fits your tasks, connect it to any compatible tool, and keep working without interruptions. Fewer batteries mean lower costs, less storage, and more convenience.

Lightweight, powerful, and eco-friendly, this system combines mobility with real performance — helping both beginners and professionals work comfortably all year round.

UNIFIED BATTERY SYSTEM FROM KÖNNER & SÖHNEN®

- **Built for first-time gardeners and to seasoned pros**
- **Lightweight and easy to handle**
- **Low noise levels for all-day comfort.**
- **Super easy maintenance**



20V LITHIUM-ION BATTERY

ONE BATTERY – MANY TOOLS

One solution – maximum efficiency.

TRADITION
DEUTSCHER
QUALITÄT

SMART CONTROL

Protective Frame – einforced shock protection against and drops.

IP67 Protection – fully sealed from dust and moisture for reliable outdoor use.



Nickel Plate

BMS protection


Built for Safety and Long Life

MULTI-LEVEL PROTECTION SYSTEM AGAINST:

Overcharging	Overdischarging	Short circuit	Overcurrent	Overvoltage	Overheating

Modern Könner & Söhnen® lithium-ion batteries stand out for their high reliability and durability. Their service life is three times longer than that of lead-acid batteries. They are lightweight and compact, have a high capacity, and require no maintenance during their entire period of use.

konner-sohnen.com



COST SAVINGS

One battery for all Könner & Söhnen® tools means lower costs, less clutter and greater efficiency. There is no need to buy a separate power source for each device.

WORKING COMFORT


No unnecessary batteries — simply swap the battery between tools. Tools without built-in batteries are lighter and easier to use.

MAXIMUM MOBILITY

Complete freedom from the mains. Lithium-ion technology provides stable power and longer run time even far from power sources.

ENVIRONMENTAL FRIENDLINESS

Cordless tools produce no emissions and reduce waste. One battery for many devices means fewer batteries and a cleaner environment.



BATTERIES AND CHARGERS

Modern lithium-ion batteries and chargers from **Könner & Söhnen®** ensure reliable power for the entire tool line. **High capacity** and **fast charging** keep the tools running without interruption, which is especially important for long and demanding tasks.

20V LITHIUM-ION BATTERIES




	KS 20V2-1	KS 20V4-1	KS 20V4-2	KS 20V6-2	KS 20V8-2
Rated voltage	**20 V**	**20 V**	**20 V**	**20 V**	**20 V**
Battery capacity	**2 Ah**	**4 Ah**	**4 Ah**	**6 Ah**	**8 Ah**
Battery type	**Lithium-ion**	**Lithium-ion**	**Lithium-ion**	**Lithium-ion**	**Lithium-ion**
Lithium-ion battery	**5 cells**	**10 cells**	**5 cells**	**10 cells**	**10 cells**
Battery capacity	**2000 mAh**	**4000 mAh**	**4000 mAh**	**6000 mAh**	**8000 mAh**
Dimensions (L×W×H)	**118×80×50 mm**	**118×80×72 mm**	**123×87×53 mm**	**123×87×72 mm**	**123×87×72 mm**
Net weight	**0.47 kg**	**0.79 kg**	**0.68 kg**	**1.09 kg**	**1.09 kg**
EAN code	**4 260405 367207**	**4 260405 367214**	**4 260405 367221**	**4 260405 367238**	**4 260405 367245**

CHARGERS FOR 20V LITHIUM-ION BATTERIES



	Fast charging device	**Dual fast charger**	**Standard charging device**	**Dual charger**	**Fast charger**
	KS C24A	KS C35A-2	KS C45A	KS C45A-2	KS C90A
Rated voltage	**230 V/50 Hz**	**230 V/50 Hz**	**230 V/50 Hz**	**230 V/50 Hz**	**230 V/50 Hz**
Rated output voltage	**21.5 V**	**21.5 V**	**21.5 V**	**21.5 V**	**21.5 V**
Rated output current	**2.4 A**	**2×3.5 A**	**4.5 A**	**2×4.5 A**	**9 A**
Safety class	**II**	**II**	**II**	**II**	**II**
Dimensions (L×W×H)	**140×64×92 mm**	**220×65×135 mm**	**140×64×84 mm**	**220×65×135 mm**	**220×90×205 mm**
Net weight	**0.42 kg**	**0.89 kg**	**0.55 kg**	**0.89 kg**	**0.89 kg**
Gross weight	**0.44 kg**	**0.95 kg**	**0.58 kg**	**0.95 kg**	**1.02 kg**
EAN code	**4 260405 367252**	**4 260405 367276**	**4 260405 367269**	**4 260405 368945**	**4 260405 368952**

CORDLESS STRING TRIMMERS



Rated voltage	Battery capacity*	Cutting width	No-load speed
20 V	2–8 Ah	10” (25 cm) – 12” (30cm)	5500–8500 rpm

VERSATILE USE

K&S cordless trimmers are versatile tools for any task. Interchangeable attachments — a three--tooth blade for difficult areas and a line spool for precise trimming — let you handle grass and dense vegetation.

KS MFT-20V is a **4-in-1** multi-functional trimmer: **mowing with a blade and knives, trimming with line, sweeping paths and cleaning paving stones**.

The ideal solution for caring for gardens and larger areas.



EASY CONTROL AND MAINTENANCE

- **Adjustable handle** for comfort during operation
- **Telescopic shaft** for convenient adjustment to the user's height
- **Rotating motor head** for switching between mowing and edge trimming or changing the angle when working around obstacles
- **Extendable plant guard** prevents accidental damage to nearby plants
- **Shoulder strap** reduces strain during long operation
- **Compact, folding design** for convenient transport and storage

OVERHEAT PROTECTION

All **K&S** cordless trimmers are equipped with an **overheat protection** system.

When the temperature reaches a critical level, the device switches off automatically to cool down — protecting both the battery and the motor and extending the tool's service life.

BATTERY IS NOT INCLUDED 20V

**Battery and charger sold separately*

KS GT-20V

The **KS GT-20V** trimmer features an adjustable rubber-coated handle, a telescopic shaft and a **Tap&Go** cutting head for efficient trimming. The set includes **additional blades** for dense vegetation and a support wheel for precise edge trimming.

Rated voltage	**20 V**
Engine type	**Brushed**
Cutting width	**250 mm**
Net weight	**2 kg**
EAN code	**4 260405 368396**

INCLUDED:
- 10 nylon blades
- Spool housing
- Blade holder



FUNCTION 2in1

Grass mowing

Edge trimming mode

KS CST-20V

The **KS CST-20V** trimmer is a compact and convenient tool for **mowing grass and trimming edges.** It features a telescopic shaft, a rotating handle, automatic line feed and two guide wheels for precise mowing.

Rated voltage	**20 V**
Engine type	**Brushed**
Cutting width	**300 mm**
Net weight	**2.12 kg**
EAN code	**4 260405 368372**

INCLUDED:
- Line spool 2.5 m



FUNCTION 2in1

Grass mowing

Edge trimming mode


KS MFT-20V

The **KS MFT-20V 4-in-1** trimmer is a powerful multi-functional tool for caring for lawns, flower beds and the area around the house.

Rated voltage	**20 V**
Engine type	**Brushed**
Cutting width	**250 mm**
Net weight	**3.75 kg**
EAN code	**4 260405 368402**

INCLUDED:
- Trimmer unit, housing for spools and plastic blades for mowing grass
- Joint cleaning unit with nylon and metal brushes (110 mm), sweeping unit (200 mm)





Built-in blade storage compartment

FUNCTION 4in1




Grass mowing



Edge trimming



Joint cleaning



Sweeping

BRUSHLESS MOTOR

POWERFUL BRUSHLESS MOTOR

This type of motor has fewer moving parts, requires minimal maintenance and runs quietly — ideal for comfortable long-term work.

KS BCT-20V

The **KS BCT-20V** cordless trimmer is a light and quiet model with a **7500 rpm** brushless motor, intelligent speed control and a semi-automatic spool for continuous, effortless work. The set includes a **three-tooth blade, a line attachment, an adjustable handle and a soft shoulder strap** for convenience.

Rated voltage	**20 V**
Engine type	**Brushless**
Cutting width	**300 mm**
Net weight	**3.8 kg**
EAN code	**4 260405 367122**

INCLUDED:
- Shoulder strap
- 3-tooth blade
- Line spool 5 m









KS BCT1-40V

The **KS BCT1-40V** cordless trimmer provides full mobility, intelligent speed control and a semi-automatic spool for efficient trimming. **The U-shaped handle, shoulder strap and detachable shaft** ensure comfort, easy transport and compact storage — keeping your plot perfectly tidy without any cords.

Rated voltage	**20 V + 20 V**
Engine type	**Brushless**
Cutting width (spool):	**12” (300 mm)**
Cutting width (disc blade):	**255 mm**
Net weight	**3.8 kg**
EAN code	**4 260405 369102**

INCLUDED:
- Shoulder strap
- 3-segment blade
- Line spool





ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 15, 117

CORDLESS STRING TRIMMERS







	KS GT-20V	KS CST-20V	KS MFT-20V	KS BCT-20V	KS BCT1-40V
Rated voltage	**20 V**	**20 V**	**20 V**	**20 V**	**20 V + 20 V**
Battery capacity (not included)	**2–8 Ah**	**2–8 Ah**	**2–8 Ah**	**2–8 Ah**	**2–8 Ah**
Engine type		**Brushed**		**Brushless**	
Head rotation speed	**8500 rpm**	**8000 rpm**	**8000 rpm**	**7500 rpm**	**7500 rpm**
Blade speed	**8500 rpm**	**–**	**–**	**5500 rpm**	**5500 rpm**
Overheat protection	**+**	**+**	**+**	**+**	**+**
Smart controller	**–**	**–**	**–**	**+**	**+**
Max. cutting width	**250 mm**	**300 mm**	**250 mm**	**300 mm**	**300 mm**
Line length	**2 m**	**2.5 m**	**2 m**	**2×5 m**	**2×5 m**
Line diameter	**Ø1.6 mm**	**Ø1.8 mm**	**Ø1.6 mm**	**Ø2 mm**	**Ø2 mm**
Rubber-coated handle	**+**	**+**	**+**	**–**	**+**
Multi-position handle	**+**	**+**	**+**	**–**	**+**
Adjustable motor housing	**+**	**+**	**+**	**–**	**–**
Cutting head type	**Tap&Go line head, blade**	**Automatic line head**	**Tap&Go line head, blade, brush**	**Tap&Go line head and blade**	
Functions	**Trimmer, edge trimming**	**Trimmer, edge trimming**	**Trimmer, edge trimming, sweeping, cultivation**	**Trimmer, hedge trimmer**	**Trimmer, hedge trimmer**
Dimensions (L×W×H)	**950×250×100 mm**	**930×220×150 mm**	**976×280×222 mm**	**970×270×110 mm**	**970×270×100 mm**
Net weight	**2 kg**	**1.95 kg**	**3.75 kg**	**3.8 kg**	**3.8 kg**
Gross weight	**2.8 kg**	**2.75 kg**	**4.65 kg**	**4.8 kg**	**5 kg**
EAN code	**4 260405 368396**	**4 260405 368372**	**4 260405 368402**	**4 260405 367122**	**4 260405 369102**

CORDLESS LAWN MOWERS



BRUSHLESS MOTOR TECHNOLOGY

Every lawn mower has a high-efficiency brushless motor that reaches speeds of up to 3300 rpm.

This modern motor design provides:

- High performance and stable torque under load
- Longer service life and reduced noise level
- Minimal maintenance thanks to fewer moving parts

The result is stable and reliable operation season after season, even under intensive use.

2-IN-1 FUNCTION: GRASS COLLECTION OR MULCHING

Choose between **grass collection** and **direct mulching**. When mulching, the grass is finely cut and returned to the soil, acting as a natural fertilizer and improving the condition of the lawn. **The 43 cm cutting width** ensures efficient mowing and mulching even on large areas.

CUTTING HEIGHT ADJUSTMENT 25–75 mm

A convenient lever lets you choose five or six height levels (depending on the model) — **from 25 mm to 75 mm**. This allows you to adjust the mower to personal preference or seasonal conditions for a perfect result.

LIGHTWEIGHT GRASS CATCHER

The **30–50 L** grass catcher has a sturdy plastic cover and a synthetic fabric bag — light, durable and easy to clean. A built-in **fill indicator shows** when the container needs to be emptied.

SAFETY KEY

Every mower is equipped with a **safety key** that must be inserted before starting. Removing it cuts the power instantly, preventing accidental start-up.

K&S cordless lawn mowers are powerful, quiet and designed for easy lawn care.

TRADITION DEUTSCHER QUALITÄT

SMART DESIGN AND EASY HANDLING



BRUSHLESS MOTOR

RPM

Intelligent speed control
An automatic motor speed control system optimizes energy consumption and ensures maximum mowing efficiency under various load conditions.

BATTERY IS NOT INCLUDED 20V

**Battery and charger sold separately*

- Balanced weight for maneuverability
- Low vibration — more comfort
- Quick tool-free folding





	KS 33LM-20V	KS 43LM-40V
Rated voltage	**20 V**	**40 V (20 V + 20 V)**
Battery capacity (not included)	**2–8 Ah**	**2–8 Ah**
Operating speed	**3200 rpm**	**3300 rpm**
Engine type	**Brushless motor**	**Brushless motor**
Cutting width	**330 mm**	**430 mm**
Cutting height	**25–75 mm (5 positions)**	**25–75 mm (6 positions)**
Grass catcher volume	**30 L**	**50 L**
Mulching function	**+**	**+**
Front / rear wheels	**5.5"/6.5"**	**7"/10"**
Dimensions (L×W×H)	**690×410×330 mm**	**804×484×400 mm**
Net weight	**9.5 kg**	**12.5 kg**
Gross weight	**11.2 kg**	**15 kg**
EAN code	**4 260405 367047**	**4 260405 367054**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 15, 117

ROBOTIC LAWNMOWER

SMART. RELIABLE. FULLY AUTOMATED.



Rated voltage	Cutting width	Cutting height	Maximum working area
20 V	220 mm	25–65 mm	900 m²

POWERFUL PERFORMANCE

KS 22RLM provides stable power for areas of up to 900 m². The integrated mulching system finely cuts the grass and spreads it evenly over the lawn, enriching the soil and eliminating the need to collect clippings.

A 170-meter boundary wire is included, which precisely defines the boundaries of the area and keeps the mower within the working zone — for a safe, fully automated process.

MAXIMUM AUTOMATION

The lawn mower is equipped with a full set of smart sensors and works safely and independently:

- **Automatic return** to the charging station after the mowing cycle is complete
- **Schedule programming** — choice of operating hours and days
- **Lift and tilt sensors** — blades stop instantly when the device is lifted or tilted
- **Obstacle and bump sensors** — change direction or stop operation on collision
- **Rain sensor** — responds to precipitation and automatically returns the mower to the base
- **Water protection:** IPX4 class

RELIABLE AND DURABLE LITHIUM-ION BATTERY

The **20 V / 4.0 Ah** battery provides stable power and long run time for efficient continuous mowing.

- **Up to 70 minutes of continuous operation** on a single charge
- **Fast recharging** and stable performance
- **Light, compact design**
- **High energy density** — more run time with less weight than lead-acid batteries.



REMOTE CONTROL
SMART CONNECTIVITY FOR FULL CONTROL

The **Könner & Söhnen®** robotic lawnmower can be easily controlled via the mobile app using **Bluetooth or Wi-Fi.** Set the mowing schedule, start the device remotely and monitor the process — all directly from your smartphone.

- **Anti-theft protection: the mower cannot be started without a PIN code.**
- **User safety: the blades stop instantly if the mower is lifted.**

BRUSHLESS MOTOR

The mower's brushless motor provides powerful and efficient operation with a long service life and minimal maintenance. With fewer moving parts and reduced friction, it runs quietly and smoothly, ensuring reliable operation year after year.

DESIGNED FOR AREAS OF UP TO 900 m²



KS 22RLM

Motor voltage	**20 V**
Maximum mowing area	**up to 900 m²**
Run time on a single battery charge (4 Ah)	**up to 70 min***
Travel speed	**1.2 km/h**
No-load speed	**3100 rpm**
Cutting height (8 positions)	**25–65 mm**
Cutting width	**220 mm**
Slope angle	**25° / 47%**
Wheels	**8”**
App / Wi-Fi / Bluetooth	**+**
Dimensions (L×W×H)	**470×280×360 mm**
Net weight	**9 kg**
Gross weight	**18 kg**
EAN code	**4 260405 367191**


SELF-INSTALLATION KIT (SUPPLIED WITH THE DEVICE):

- Boundary wire **– 170 m**
- Wire pegs **– 230 pcs.**
- Charging station pegs **– 6 pcs.**
- Charging station
- Power adapter
- Lithium-ion battery **20 V**



** Depending on grass type, growing conditions, humidity and evenness of the lawn surface.*

CORDLESS GRASS SHEARS AND HEDGE TRIMMER



Könner & Söhnen® cordless grass and shrub trimmers combine optimal power and low vibration for a clean, precise cut. Depending on the model, the rotating handle (90° or 180°) ensures **comfortable work** at any angle — ideal for shaping shrubs, trimming branches **up to 16 mm** and caring for lawn edges. The compact design provides excellent while safety features include a **button lock, protection against accidental start-up**, **triple protection** on some models, and a **charge indicator** — ensure confident operation.

Reliable and convenient, these trimmers are suitable for both home and professional use.

DOUBLE PRECISION BLADES

Hardened steel blades with laser grinding or precision sharpening ensure an even, clean cut. They easily handle both young shoots and thicker branches. Blade length is **from 120 to 550 mm**, depending on the model.

ERGONOMIC DESIGN


The rubber-coated handle ensures a secure grip and reduces hand fatigue. **The rotating handle** lets you work at any angle, and **quick blade change** makes it easy to switch between different types of cut.

LITHIUM-ION BATTERY

The trimmers run on reliable lithium-ion batteries **(8–20 V, 2000 mAh – 8 Ah)** that provide fast charging, long run time and complete freedom of movement. **For 20 V models, the battery and charger are sold separately.**

KS HT-20V

CUTTING LENGTH 22" 55 cm



BATTERY IS NOT INCLUDED 20V

** Battery and charger not included*

The KS HT-20V cordless hedge trimmer is a **powerful, light and mobile tool**. It weighs only **2.5 kg**, has low vibration and a **180° rotating handle** for convenience and precise angle adjustment. Ideal for trimming shrubs, hedges and branches **up to 16 mm in diameter.**

The two-handed control system with protection against accidental start-up ensures safe operation, and **the transparent front guard** protects the hand from debris without restricting visibility.

LASER-SHARPENED BLADES

The **55 cm** cutting blade with double-sided edges is made of strong steel and is laser-sharpened for a perfectly clean cut. Suitable for both fresh shoots and branches of various plants.

ERGONOMIC DESIGN

The rubber handle ensures a secure, non-slip grip and reduces hand fatigue during long work.

The rotating handle with five positions within **180°** allows comfortable work at any angle.

Rated voltage	**20 V**
Battery capacity (not included)	**2–8 Ah**
Cutting length	**22" (55 cm)**
Net weight	**2.5 kg**
EAN code	**4 260405 367153**


RPM

SOFT START


This function prevents sudden acceleration and reduces the initial load on the motor, ensuring a smooth and controlled start. It increases working comfort, eliminates jerks and reduces tool wear.

KS SHT-8V

The SHT-8V cordless shears are light and convenient tools for trimming grass, shrubs and ornamental plants. **The rotating handle** ensures comfort at different angles, and **quick blade change** lets you switch the operating mode quickly. **Power from a 2000 mAh battery** ensures stability, **triple protection** ensures safety, and **the ergonomic design** ensures comfort even during long work.




Rated voltage	**8 V**
Battery capacity	**2000 mAh**
Max. cutting diameter	**7.5 mm**
Net weight	**1 kg**
EAN code	**4 260405 368419**





KS SHT-20V

The **SHT-20V 2-in-1** cordless garden shears combine functionality, comfort and complete freedom of movement in a compact body. Equipped with high-quality **double blades**, they deliver a clean, precise cut of grass, shrubs and hedges. The **quick blade change** system lets you switch between modes instantly, while the **lock and safety mechanisms** prevent accidental start-up. The light, ergonomic design reduces fatigue during long work, and the **20 V power supply** provides enough power for all garden tasks.







** Battery and charger not included*

Rated voltage	**20 V**
Battery capacity (not included)	**2–8 Ah**
Max. cutting diameter	**7.5 mm**
Net weight	**1.6 kg**
EAN code	**4 260405 368457**








	KS SHT-8V	KS SHT-20V	KS HT-20V
Rated voltage	**8 V**	**20 V**	**20 V**
Battery capacity (not included)	**2000 mAh**	**2–8 Ah**	**2–8 Ah**
No-load blade stroke rate	**1100 strokes/min**	**1200 strokes/min**	**1550 strokes/min**
Cutting length	**120 mm (shrub blade) / 80 mm (grass blade)**	**199 mm (shrub blade) / 92 mm (grass blade)**	**22" (55 cm)**
Maximum cutting diameter	**7.5 mm**	**7.5 mm**	**16 mm**
Gross dimensions (L×W×H)	**307×94×130 mm**	**400×130×153 mm**	**930×220×200 mm**
Net weight	**1.0 kg**	**1.6 kg**	**2.5 kg**
Gross weight	**1.12 kg**	**1.82 kg**	**3.5 kg**
EAN code	**4 260405 368419**	**4 260405 368457**	**4 260405 367153**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 15, 117

EXPAND YOUR CAPABILITIES


The **KS EP8** telescopic extension pole is a light and convenient accessory for the **SHT-8V** shears. The adjustable length of 53–83 cm ensures an ergonomic working position, and the lock button and power switch increase safety. The rotating clamp makes it easy to change the tilt angle, and two wheels ensure stable and precise control of the tool.



KS EP8

Length adjustment	**53–83 cm**
Mechanism	**Folding and rotation**
Additional features	**2 wheels, lock button, switch**
Gross dimensions (L×W×H)	**190×95×1060 mm**
EAN code	**4 260405 368464**


The **KS EP20** telescopic extension pole is a practical accessory for the **SHT-20V** trimmer that provides a greater reach and ease of use. The adjustable length of 56–89 cm and the wheels make work easier, while the folding mechanism, lock button and power switch ensure safety and comfort.



KS EP20

Length adjustment	**56–89 cm**
Mechanism	**Folding and rotation**
Additional features	**2 wheels, lock button, switch**
Gross dimensions (L×W×H)	**190×95×1150 mm**
EAN code	**4 260405 368471**

CORDLESS PRUNING SHEARS



Battery voltage	Max. cutting diameter	Cutting modes
20 V	∅ 15-40 mm	2-3 modes

The KS CPS20V-32 and KS CPS20V-40 cordless pruning shears ensure fast, precise and safe pruning of branches in any garden. Adjustable blade opening modes let you adapt to the thickness of the branches, saving energy and extending run time. **SK5 steel blades** guarantee a clean cut, and **the 20 V battery system** provides full mobility and readiness for work — no cords, no unnecessary effort.

The Set version includes a case, a battery and a charger.



- **Perfectly clean cut —** strong carbon steel blades ensure precision, durability and easy cutting of even dry or hard branches.
- **Higher performance and reliability** — the brushless motor guarantees stable operation, a long service life and a low noise level.
- **Maximum working comfort** — the ergonomic rubber-coated handle reduces fatigue, ensures a secure grip and increases safety.
- **Convenient control and adjustment** — the ergonomic panel lets you quickly select modes and monitor the battery charge for continuous work.



POWERFUL BRUSHLESS MOTOR

The brushless motor provides high performance and a long service life. This type of motor has fewer moving parts, is maintenance-free and runs with a low noise level.

KS CPS20V-32

These compact and powerful pruning shears cut branches **up to 32 mm** thick easily and precisely. The brushless motor delivers high power with minimal noise and vibration, and **three blade opening modes (15, 25, 32 mm)** save energy and extend run time. Strong **SK5 steel blades** guarantee a clean cut, and **the ergonomic rubber handle** ensures a secure and comfortable grip.

SCOPE OF DELIVERY FOR KS CPS20V-32:
wrench, hex keys (2.5 / 3 / 5 mm), sharpening stone and bottle of lubricant.



** Battery and charger not included*

KS CPS20V-40

The Könner & Söhnen® **KS CPS20V-40** cordless pruning shears combine power and safety. **The brushless motor** ensures stable operation and durability, and the hardened blades make a clean cut of branches up to 40 mm.

Two modes (20 / 40 mm), **a touch sensor** and **an ergonomic rubber handle** ensure convenience and help conserve battery power.

SCOPE OF DELIVERY FOR KS CPS20V-40:
wrench, hex keys (2.5 / 3 / 5 mm), sharpening stone and bottle of lubricant.



	KS CPS20V-32	KS CPS20V-40
Battery voltage	**20 V**	**20 V**
Motor	**Brushless**	**Brushless**
Maximum cutting diameter	**32 mm**	**40 mm**
Cutting diameter options	**15 / 25 / 32 mm**	**20 / 40 mm**
Number of modes	**3**	**2**
Blade material	**SK5 steel**	**SK5 steel**
Trigger material	**Plastic**	**Metal**
Net weight	**0.9 kg**	**1 kg**
EAN code	**4 260405 365500**	**4 260405 366002**




For the KS CPS20V-32 CASE and KS CPS20V-40 CASE models, the standard set additionally includes a battery, a charger and a storage case.

KS CPS20V-32 CASE
EAN code **4 260405 368747**

KS CPS20V-40 CASE
EAN code **4 260405 368839**

ACCESSORIES FOR THIS PRODUCT
(sold separately) page: 15, 117

CORDLESS CHAIN SAWS



Rated voltage	Bar length	Max. cutting diameter
20 V	8”/20”, 12”/30”	∅ 100-150 mm

Könner & Söhnen® **KS MCS20V-8 and MCS20V-12** mini chainsaws provide fast and precise cutting for everyday garden and household tasks. A powerful **brushless motor**, **a lightweight body** and **a compact design** guarantee confident performance — ideal for pruning branches, preparing firewood or small carpentry jobs, even in hard-to-reach places.

KS MCS20V-8

Automatic chain lubrication for continuous operation and a longer service life

The strap loop prevents the tool from falling when working at height

Impressive performance — the saw works much faster than similar models, letting you do more work in less time

The lock button prevents accidental switching on, ensuring safe transport



** Battery and charger not included*

BATTERY IS NOT INCLUDED 20V

The protective cover guards against debris and accidental contact with the chain

Tool-free chain tensioning — quick adjustment without screwdrivers or wrenches

Large hand guard — prevents injuries from branches or the chain

BRUSHLESS MOTOR

POWERFUL BRUSHLESS MOTOR

The brushless motor provides high performance and a long service life. This type of motor has fewer moving parts, is maintenance-free and runs with a low noise level.

KS MCS20V-12



BATTERY IS NOT INCLUDED 20V

** Battery and charger not included*

THE PRODUCT IS AVAILABLE IN SEVERAL CONFIGURATIONS:

KS MCS20V-8 and **MCS20V-12**
Standard set: bar, chain and protective cover.

MCS20V-12 SET

Extended set — for longer and more convenient work:

- Battery and charger
- Additional bar and chain for uninterrupted work

EAN code **4 260405 365036**

KS MCS20V-8 CASE

Maximum comfort and convenient storage

- Battery and charger
- Additional bar and chain for uninterrupted work
- Practical case — the tool is always at hand

EAN code **4 260405 365050**





	KS MCS20V-8	KS MCS20V-12
Battery voltage	**20 V**	**20 V**
Motor	**Brushless**	**Brushless**
Chain speed (m/s)	**8**	**10**
Chain pitch	**1/4"LP**	**1/4"LP**
Number of drive links	**44**	**62**
Bar length	**8" / 20 cm**	**12" / 30 cm**
Automatic chain lubrication	**Yes**	**Yes**
Tool-free chain tensioning	**Yes**	**Yes**
Weight without battery	**1.3 kg**	**1.9 kg**
EAN code	**4 260405 365197**	**4 260405 364497**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 15, 75, 117

CORDLESS CHAINSAWS



Rated voltage	Bar length	Chain speed	Operating speed
20 V/40 V	12”/14”/16”	5.6 - 15 m/s	3000 - 8000 rpm

The **KS CS20V-12** model with a **3000 rpm** motor is suitable for light pruning and maintenance, while **KS CS40V-14** and **KS CS40V-16** are equipped with **brushless motors (8000 rpm)** for more demanding tasks.

Brushless technology guarantees efficiency, minimal maintenance and a longer service life.



AUTOMATIC CHAIN LUBRICATION

A built-in pump supplies oil to the bar and chain during operation, ensuring smooth running, less wear and a longer tool service life.

TOOL-FREE CHAIN TENSIONING

Quick chain tension adjustment without tools. This convenient system increases cutting precision, prevents wear and ensures safe operation.



K&S saws powered by **20 V (2–8 Ah)** lithium-ion batteries **provide long run time, fast charging and minimal self-discharge.**
The compact and lightweight batteries are convenient to use even during long work.

**Battery and charger not included.*

BRUSHLESS MOTOR

POWERFUL BRUSHLESS MOTOR

The brushless motor provides high performance and a long service life. This type of motor has fewer moving parts, is maintenance-free and runs with a low noise level.



- The tool-free chain tensioning mechanism simplifies work and maintenance.
- The automatic lubrication system extends chain life.
- The ergonomic rubberized handle effectively reduces vibration and slipping.
- The lightweight design ensures convenience and maneuverability in different cutting directions.





	KS CS20V-12	KS CS40V-14	KS CS40V-16
Rated voltage	**20 V**	**40 V (20 V + 20 V)**	**40 V (20 V + 20 V)**
Battery capacity (not included)	**2–8 Ah**	**2–8 Ah**	**2–8 Ah**
Operating speed	**3000 rpm**	**8000 rpm**	**8000 rpm**
Bar length	**12" (30 cm)**	**14" (35 cm)**	**16" (40 cm)**
Engine type	**Brushed motor**	**Brushless motor**	**Brushless motor**
Chain speed	**5.6 m/s**	**15 m/s**	**15 m/s**
Oil tank capacity	**300 ml**	**250 ml**	**250 ml**
Tool-free chain tensioning	**+**	**+**	**+**
Gross dimensions (L×W×H)	**455×225×230 mm**	**455×220×255 mm**	**455×220×255 mm**
Net weight	**3.5 kg**	**3.6 kg**	**3.6 kg**
Gross weight	**4.2 kg**	**4.6 kg**	**4.6 kg**
EAN code	**4 260405 367061**	**4 260405 367078**	**4 260405 367450**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 15, 75, 117



CORDLESS LEAF VACUUM-BLOWER



Rated voltage	Maximum air volume	Collection bag volume	Max. air speed
20 V	550 m³/h	45 l	270 km/h

The **Könner & Söhnen®** cordless vacuum-blower provides fast and convenient cordless cleaning. **Four speeds and Turbo mode** let you work efficiently with leaves and debris, and **the mulching function** shreds waste, saving time and space.

EASY TO USE

The tool-free switching system lets you change from vacuum mode to blower mode in a few seconds. It weighs only **3.5 kg** — compact, convenient and easy to handle. **The soft shoulder strap** distributes the weight evenly, reducing fatigue during long work.

MOBILITY

Runs on **20 V lithium-ion batteries (2–8 Ah)**, so it is effective even far from power outlets. The battery provides **long run time, fast charging** and compatibility with all **K&S** cordless tools, making it a smart addition to your collection.

FUNCTION 3in1


3-IN-1 BLOWER | VACUUM | MULCHER

The **Könner & Söhnen®** 3-in-1 cordless garden tool performs all the main tasks of cleaning your plot. In **vacuum mode,** it collects leaves, twigs, dust and small debris into a **45 L** bag. **The built-in shredder** mulches efficiently, reducing the volume of leaves by up to 10 times and turning waste into nutritious material for the garden. In **blower mode**, the device generates an air speed of **up to 270 km/h**, quickly clearing lawns, paths and terraces.

BRUSHLESS MOTOR

POWERFUL BRUSHLESS MOTOR

The brushless motor provides high performance and a long service life. This type of motor has fewer moving parts, is maintenance-free and runs with a low noise level.



Intelligent control

Smart electronics automatically adjust the motor speed. One-touch speed change ensures precise and efficient work.

BATTERY IS NOT INCLUDED 20V

** Battery and charger not included*

- **Mulching function**
- **Tool-free air tube removal system — at the push of a button**
- **Intelligent control**
- **One quick-release shoulder strap**

KS LBV-40V

Rated voltage	**40 V (20 V + 20 V)**
Battery capacity (not included)	**2–8 Ah**
Maximum operating speed	**16300 rpm**
Maximum air speed	**270 km/h**
Maximum air volume	**550 m³/h**
Collection bag volume	**45 L**
Number of speed settings	**4 speeds + Turbo mode**
Gross dimensions (L×W×H)	**470×280×360 mm**
Net weight	**3.5 kg**
Gross weight	**4.6 kg**
EAN code	**4260405367115**






INCLUDED:

- Suction tube
- Air tube with built-in scraper
- Shoulder strap
- Collection bag 45 L

ACCESSORIES FOR THIS PRODUCT
(sold separately) page: 15, 117

CORDLESS TOOLS



VERSATILITY FOR VARIOUS TASKS AND NEEDS

K&S cordless tools are a practical solution for repairs, installation and workshop jobs. Drills, screwdrivers, angle grinders, rotary hammers and other tools help you efficiently perform a wide range of tasks.

POWER AND PRECISION

- **Different operating modes** for drilling, screwdriving and working with hard materials.
- **Speed and torque adjustment** for precise adjustment to a specific task.

RELIABILITY IN EVERY DETAIL

Reinforced gearbox housings with metal parts protect the internal mechanisms from overloads. Protection against overheating, overload and battery over-discharge contributes to tool durability.

COMFORT AND MOBILITY

- **Ergonomic handles** with soft inserts for a comfortable and secure grip.
- **Compact and balanced design** reduces fatigue during work.
- **LED illumination** of the work area for comfort in poorly lit places.
- **The unified K&S 20 V** battery system lets you use compatible batteries with different tools in the series.

OVERHEAT PROTECTION

K&S cordless tools are equipped with overheating and overload protection system that contributes to safe operation and a long service life.

BRUSHLESS MOTOR

POWERFUL BRUSHLESS MOTOR

The brushless motor provides high performance and a long service life. This type of motor has fewer moving parts, is maintenance-free and runs with a low noise level.

KS ID20V-60 KIT 74

CORDLESS MASTER SET IN A CASE

KS ID20V-60 KIT 74 is a tool set in a case that combines a cordless impact drill, a set of 74 accessories — bits, drills and attachments, a 2 Ah battery and a 2.4 A charger. The drill has **three operating modes:** drilling, screwdriving and impact drilling (28500 bpm), allowing you to drill metal or wood, while two gears and **23 torque settings** provide precision for any task. The brushless motor delivers up to 60 N·m of torque and runs quietly and efficiently. For comfortable use, there is a rubber-coated handle, LED illumination and a belt loop. The tool's safety system includes protection against overheating, overload and over-discharge.



EAN code **4 260405 364206**

IMPACT DRILL

Rated voltage	**20 V**
Max. torque	**60 N•m**
Gear	**2 mechanical gears**
Functions	**screwdriving and drilling, impact drilling**
Rotation speed	**0 - 450 / 0 - 1900 rpm**
Impact rate	**0 - 6750 / 0 - 28500 bpm**
Chuck	**1.5 - 13 mm, metal, keyless**
Net dimensions (L×W×H)	**160×80×200 mm**
Net weight	**1.15 kg**



SET INCLUDES:



Impact drill



Set of 74 accessories in a case



Battery 20 V, 2 Ah



Charger 2 A

ACCESSORIES FOR THIS PRODUCT
(sold separately) page: 15, 117

KS IDAGB 20V SET 1 CORDLESS SET —
POWER IN A COMPACT FORMAT

The German brand **Könner & Söhnen** offers a versatile cordless master set that combines an impact drill with 80 N·m of torque, **3 operating modes:** drilling, screwdriving and impact drilling, and **22 torque positions,** with an angle grinder with **3 functions:** cutting, stripping and grinding, and speed adjustment of 2500-11500 rpm. These two tools are essential for installation and repair work on construction sites or for installers, plumbers, electricians and home services. The unified K&S 20V battery system ensures uninterrupted work, and the included case makes transport and storage easier.



EAN code **4 260405 364329**



SET INCLUDES:



Impact drill



Angle grinder



Storage case



2 batteries 20 V 2 Ah and 4 Ah




Charger 2.4 A

ACCESSORIES FOR THIS PRODUCT
(sold separately) page: 15, 117


ANGLE GRINDER

Rated voltage	**20 V**
Disc diameter	**115 / 125 mm**
Spindle thread	**M14**
Engine type	**brushed motor**
Rated rotation speed	**2500–11500 rpm**
Net dimensions (L×W×H)	**315×120×125 mm**



IMPACT DRILL

Rated voltage	**20 V**
Max. torque	**80 N·m**
Gear	**2 mechanical gears**
Functions	**screwdriving and drilling, impact drilling**
Rotation speed	**0–500 / 0–1800 rpm**
Impact rate	**0–8000 / 0–28800 bpm**
Chuck	**1.5–13 mm, metal, keyless**
Net dimensions (L×W×H)	**185×80×190 mm**
Net weight	**1.47 kg**





KS IDISD 20V SET 2 —

A VERSATILE CORDLESS SET FOR HOME AND WORKSHOP

Introducing the new **KS IDISD 20V SET 2 cordless set** — a reliable **"4 in 1"** solution for fast screwdriving, drilling, impact drilling and fastening. Two powerful tools — **an impact drill (80 N·m)** and **an impact driver (260 N·m)** — deliver high performance in any conditions, and the set also includes two 20V batteries and a charger. Brushless motors, metal gearboxes and protection against overheating, overload and over-discharge guarantee durability and stable operation. The set covers the key needs: screwdriving, drilling, impact drilling and fastening. Compactness, convenience and versatility — everything you need for installation or repair work. The unified K&S 20V battery system ensures uninterrupted work, and the included case makes transport and storage easier.



EAN code **4 260405 364473**



SET INCLUDES:



Impact drill and impact driver



Storage case



2 batteries 20 V 2 Ah



Charger 2.4 A

ACCESSORIES FOR THIS PRODUCT
(sold separately) page: 15, 117

IMPACT DRILL

Rated voltage	**20 V**
Max. torque	**80 N·m**
Gear	**2 mechanical gears**
Functions	**screwdriving and drilling, impact drilling**
Rotation speed	**0–500 / 0–1800 rpm**
Impact rate	**0–8000 / 0–28800 bpm**
Chuck	**1.5–13 mm, metal, keyless**
Net dimensions (L×W×H)	**185×80×190 mm**
Net weight	**1.47 kg**



IMPACT DRIVER

Rated voltage	**20 V**
Torque	**150 / 190 / 230 / 260 N·m**
Functions	**screwdriving and fastening**
No-load speed	**1900–3300 rpm**
Impact rate	**2500–4300 bpm**
Bit holder	**1/4" shank**
Net dimensions (L×W×H)	**115×90×200 mm**
Net weight	**0.94 kg**





KS RHAGD 20V SET 3 CORDLESS SET —

EVERYTHING YOU NEED FOR WORK

The multi-functional **"3 in 1"** set is a complete workshop in a convenient bag: a **60 N·m** drill driver, an angle grinder with speed adjustment of **2500–10000 rpm** and a rotary hammer with an impact energy of **2 J. Two 4.0 Ah batteries** and a fast charger **4.5 A** are included. **8 functions in 1 set**: screwdriving, drilling, impact drilling, hammer drilling, chiseling, cutting, stripping and grinding. **Brushless motors** provide stable power, durability and minimal heating. **Reinforced metal gearboxes** protect the mechanisms from overloads, and the safety system prevents overheating and over-discharge. **The ergonomic design, rubberized handles and LED illumination** ensure comfort during work.

EAN code **4 260405 365203**

ANGLE GRINDER

Rated voltage	**20 V**
Disc diameter	**115 / 125 mm**
Spindle thread	**M14**
Rated rotation speed	**2500–10000 rpm**
Net dimensions (L×W×H)	**320×100×125 mm**
Net weight	**1.58 kg**

ROTARY HAMMER

Rated voltage	**20 V**
Drilling diameter	**22 mm (concrete) / 13 mm (steel) / 28 mm (wood)**
No-load speed	**0–1400 rpm**
Impacts per minute	**0–4500 bpm**
Impact energy	**2 J**
Net dimensions (L×W×H)	**290×75×190 mm**
Net weight	**2 kg**

DRILL

Rated voltage	**20 V**
Max. torque	**60 N·m**
Gear	**2 mechanical gears**
Functions	**screwdriving and drilling**
Rotation speed	**0–450 / 0–1900 rpm**
Impact rate	**0–6750 / 0–28500 bpm**
Chuck	**1.5–13 mm, metal, keyless**
Net dimensions (L×W×H)	**150×90×195 mm**
Net weight	**1.09 kg**

ACCESSORIES FOR THIS PRODUCT
(sold separately) page: 15, 117



SET INCLUDES:


Drill driver


Angle grinder



Rotary hammer


Tool bag


2 batteries 20 V 4 Ah



Charger 4.5 A


KONNER
SOHNEN


KONNER
SOHNEN


GRASS

TRADITION
DEUTSCHER
QUALITÄT



GRASS TRIMMERS

LAWN MOWERS

ELECTRIC STRING TRIMMERS

POWERFUL. PRECISE. EASY TO USE.

Rated power	Rated voltage	Cutting width	Operating speed
250 - 1400 W	230 V/50 Hz	220 - 420 mm	7000 - 12000 rpm

The Könner & Söhnen® electric trimmer is the optimal choice for uneven areas, slopes and zones with obstacles. It runs **from the mains without recharging or fuel**, ensuring continuous and stable operation.

KEY ADVANTAGES

- **Split shaft** for convenient transport and compact storage
- **Three-tooth blade and line spool** for versatile work — from precise trimming to mowing dense grass

KS GT-250

PORTABLE ELECTRIC STRING TRIMMER

The **Könner & Söhnen® KS GT-250** electric trimmer is a light and maneuverable tool weighing only **1.22 kg** that reaches a rotation speed of up to **12 000 rpm**. Designed for mowing **soft or young grass** in small areas — ideal for trimming along paths, flower beds, fences and in hard-to-reach places. **The low motor position** reduces vibration on the handle, increasing comfort and precision during work.



Rated voltage	**230 V**
Line length	**6 m**
Cutting width	**220 mm**
Net weight	**1.22 kg**
EAN code	**4 260405 367375**

ENVIRONMENTALLY eco FRIENDLY MOTOR

KS GT-450
2-in-1 MULTI-FUNCTIONAL STRING TRIMMER



The KS GT-450 trimmer has two operating modes — grass mowing and edge trimming, making it a versatile tool for lawn care around the house.



INCLUDED:
Line spool 2.5 m


VARIOUS FEATURES FOR USER COMFORT

ADJUSTABLE ROTATING HANDLE
Allows precise positioning at any angle. It is securely fixed on the shaft **with a button or a nut** without using tools.

TELESCOPIC SHAFT
Quick tool-free **length** and position adjustment ensures comfortable work for users of any height.

ADJUSTABLE MOTOR HOUSING
The motor head can be rotated along the shaft for **switching between mowing and edge trimming** or for **changing the working angle** around obstacles.

EXTENDABLE PLANT GUARD
Protects ornamental plants and flower bed edges, **preventing accidental cutting** when working close to them.



KS BCT-1400

The **Könner & Söhnen® KS BCT-1400** electric trimmer is a powerful and versatile tool for mowing light or dense grass.

The **1400 W** motor with a speed of up to **7500 rpm** ensures stable performance, and **the top-mounted motor** allows efficient mowing even of wet grass.

EASY TO USE AND STORE

- **The ergonomic one-piece U-shaped bike handle** provides comfortable two-handed control, increasing precision and working speed.
- **The soft shoulder strap** distributes the weight evenly, reducing fatigue during long work.
- **Adjustable handle height** — easily adjusts to the user's height.
- **Quick assembly and disassembly** for convenient transport and storage.


USER SAFETY

- **The safety start button** prevents accidental start-up.
- **The impact-resistant protective guard** protects the user from debris.

EQUIPMENT PROTECTION

- **The built-in overload protection system** prevents motor damage during long work — the trimmer switches off automatically when overheated.
- **The short power cable** reduces the risk of accidental cable damage during work.

Könner & Söhnen® electric trimmers — smart power and precision for a perfect result.



INCLUDED:

- Shoulder strap
- Three-tooth blade
- Line head 5 m



- Optional: strong 255 mm blade (40 teeth) with tungsten carbide tips










	KS GT–250	KS GT-450	KS BCT–1400
Engine power	**250 W**	**450 W**	**1400 W**
Voltage	**230 V**	**230 V**	**230 V**
Engine type	**Brushed motor**	**Brushed motor**	**Brushed motor**
Frequency	**50 Hz**	**50 Hz**	**50 Hz**
Rotation speed (line/blade)	**12 000 rpm**	**10 000 rpm**	**7000 rpm / 7500 rpm**
Cutting diameter (line/blade)	**220 mm**	**280 mm**	**420 mm / 255 mm**
Cutting thickness (line)	**1.2 mm**	**1.6 mm**	**1.6 mm**
Gross dimensions (L×W×H)	**195×120×400 mm**	**940×240×110 mm**	**940×260×130 mm**
Net weight	**1.2 kg**	**2.2 kg**	**4.5 kg**
Gross weight	**1.5 kg**	**2.9 kg**	**5.6 kg**
EAN code	**4 260405 367375**	**4 260405 368389**	**4 260405 367146**



GASOLINE TRIMMER



Könner & Söhnen® gasoline trimmers combine high power, durability and comfort, making them the ideal choice for both professional gardeners and caring for your own garden.

POWER AND DESIGN

The models are equipped with **2- or 4-stroke engines** with an output of **1.25–1.4 kW** and feature:

- **A split shaft with an aluminum connector** for convenient storage and transport
- **A professional 4-point anti-vibration system** that reduces hand fatigue
- **E-Start and Auto-Switch system** for easy starting
- **Cruise Control** for maintaining a stable speed without constantly pressing the throttle

High-quality components ensure comfortable and stable operation, even under prolonged load.

VERSATILE USE

Interchangeable cutting attachments — the **Tap&Go head and the brush blade** — make the trimmers suitable both for precise lawn care and for mowing dense vegetation. **The tool-free change system** lets you quickly switch between attachments for different tasks.

EASE OF USE AND WORKING COMFORT

The adjustable bike handle and **shoulder strap** ensure comfort during long work. **Handle height and angle** adjustment lets you adapt the tool to the user, and **the split shaft** makes transport and storage easier.

SAFETY AND RELIABILITY

Modern **low-emission engines** reduce environmental impact and ensure a long service life. **Protective guards** shield the operator from debris, and **durable materials** guarantee stable operation even under intensive load.

EURO 5

These trimmers are equipped with powerful EURO 5 compliant engines, ensuring lower fuel consumption and minimal exhaust emissions.

CRUISE CONTROL — MAXIMUM COMFORT DURING WORK

The **Cruise Control** function lets you lock the required engine speed, **relieving the strain** on fingers and wrists. Ideal **for long mowing** of large areas — there is no need to hold the throttle trigger constantly.

The result is smooth operation, less fatigue and higher precision.



ROTATING BIKE HANDLE — ADJUSTS TO ANY HEIGHT AND CONDITIONS

The adjustable bike handle rotates and locks at the most comfortable angle for the user. It provides precise control and **a secure grip** even during long work. The strong locking mechanism guarantees stability, and the wide adjustment range **improves ergonomics and convenience**, which is important for daily professional use.

CDI IGNITION SYSTEM — RELIABLE STARTING AND STABLE OPERATION

Provides **consistent ignition**, improves engine responsiveness and contributes to **fuel savings**.


Könner & Söhnen® gasoline trimmers are designed for demanding users who value power, comfort and reliability. The sturdy construction and use of **high-quality materials** ensure a long service life even under intensive use and in difficult conditions.

KS BC17G-2T

The **Könner & Söhnen®** gasoline brush cutter is equipped with **E-Start, CDI ignition and Cruise Control** for stable operation. **The bike handle** adjusts quickly without tools, rotates by **90°** for convenient storage and reduces fatigue. The sturdy housing improves cooling and protects the engine from dust and dirt.

- **Two-stroke engine —** provides high power and efficient mowing, complies with the **EURO 5 standard.** Designed for stable operation and optimal fuel consumption.

Engine power	**1.7 hp at 6500 rpm / 1.25 kW**
Engine displacement	**42.7 cm³**
Gross dimensions	**1050×280×293×80 mm**
Net weight	**7.5 kg**
EAN code	**4 260405 368488**




KS BC19G-2T

The **Könner & Söhnen® KS BC19G-2T** brush cutter combines power and comfort and is equipped with an economical **Euro 5** engine and a **CDI** system for stable operation. **E-Start, the anti-vibration system and the bike handle** ensure easy and comfortable use, while the split shaft, **Cruise Control** and the **Tap&Go** line feed system make work and storage easier.

- **Two-stroke engine** — provides high performance and efficient mowing, complies with the **EURO 5 standard.** Designed for stable operation and economical fuel consumption.

Engine power	**1.9 hp at 6500 rpm / 1.4 kW**
Engine displacement	**51.7 cm³**
Gross dimensions	**1050×280×293×80 mm**
Net weight	**7.5 kg**
EAN code	**4 260405 368501**




KS BC16G-4T

The **Könner & Söhnen®** gasoline brush cutter is a powerful and reliable 4-stroke tool for caring for gardens and parks. It features **CDI ignition, an adjustable bike handle and an anti-vibration system** for comfortable work. The split shaft, **Cruise Control and tool-free locking** make operation and transport easier. Included: shoulder strap, brush blade and **Tap&Go head.**

- **Four-stroke engine** — provides economical fuel consumption, quiet and smooth operation, less vibration and lower emissions, and guarantees a longer service life and greater user comfort.

Engine power	**1.63 hp at 7000 rpm / 1.2 kW**
Engine displacement	**38.9 cm³**
Gross dimensions	**1050×280×293×80 mm**
Net weight	**7.5 kg**
EAN code	**4 260405 368495**



GASOLINE TRIMMER





	KS BC17G-2T	KS BC19G-2T	KS BC16G-4T
Engine type	**2-stroke**	**2-stroke**	**4-stroke**
Cylinder bore	**40 mm**	**44 mm**	**40 mm**
Engine power	**1.7 hp at 6500 rpm / 1.25 kW**	**1.9 hp at 6500 rpm / 1.4 kW**	**1.63 hp at 7000 rpm / 1.2 kW**
Engine volume	**42.7 cm³**	**51.7 cm³**	**38.9 cm³**
Maximum engine speed	**9500 rpm**	**9500 rpm**	**9500 rpm**
Engine model	**KS 45**	**KS 55**	**KS 40**
Maximum cutting width	**420 mm**	**420 mm**	**420 mm**
Three-tooth blade diameter	**255 mm**	**255 mm**	**255 mm**
Trimmer line diameter	**up to 2.4 mm**	**up to 2.4 mm**	**up to 2.4 mm**
Fuel tank volume	**1100 ml**	**1100 ml**	**1100 ml**
Shaft diameter	**28 mm**	**28 mm**	**28 mm**
Split shaft	**+**	**+**	**+**
Mounting type	**side**	**side**	**side**
Overall dimensions (L×W×H)	**1050×280×293×80 mm**	**1050×280×293×80 mm**	**1050×280×293×80 mm**
Net weight	**7.5 kg**	**7.5 kg**	**7.5 kg**
EAN code	**4 260405 368488**	**4 260405 368501**	**4 260405 368495**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 75, 116, 117



INCLUDED:
- Improved shoulder harness
- Brush blade Ø255 mm
- Face shield and ear defenders
- Tool bag



ELECTRIC LAWN MOWERS



Könner & Söhnen® lawn mowers deliver maximum efficiency without the need to stop for recharging or refueling. Equipped with motors of up to **2000 W** and a rotation speed of **3000–3450 rpm**, they guarantee even, precise cutting — from a neat lawn to denser vegetation.

POWER AND DESIGN

The **K&S** electric lawn mower line covers all needs — from light compact models for small areas to powerful solutions for demanding tasks. All models have **a strong, balanced design** that ensures stability and easy handling on different types of surfaces. Every detail is designed for convenience, reliability and a long service life.

CUTTING HEIGHT ADJUSTMENT (25–80 mm)

Quick adjustment with a lever with **3 or 5 positions** (depending on the model).

EASY TO STORE AND USE

Ergonomic height-adjustable handles **(KS 38LM16, KS 38LM16-BL, KS 43LM20),** a cable holder for one-handed control and a folding frame. Some models have **a silicone pad** for a comfortable grip.

TOOL-FREE ASSEMBLY

The simple design makes it easy to assemble, fold and maintain the lawn mower without tools.

GRASS CATCHER

Light and durable **30–50 liter** containers have **a fill indicator**. The combined plastic and fabric body (except KS 32LM12, KS 32LM12-BL) reduces weight. In the KS 32LM12, KS 32LM12-BL models it is fully plastic, sun-resistant, washable and easy to clean.

INDUCTION MOTOR

The **KS 32LM12-BL** and **KS 38LM16-BL** models are equipped with **a brushless induction motor** for high efficiency, long service life and quiet operation. Fewer wearing parts mean less maintenance.

MULCHING FUNCTION

The **KS 38LM16, KS 38LM16-BL, KS 43LM20** models have **a mulching system** that cuts and spreads the grass over the lawn. This improves the soil and promotes a healthy lawn. **The 43 cm cutting width** ensures efficient work even on large areas.



ENVIRONMENTALLY eco FRIENDLY MOTOR

- Excellent maneuverability thanks to balanced weight
- Low vibration level
- Tool-free folding
- Compact storage



FOLDING HANDLE FOR COMPACT STORAGE

The folding handle and convenient carrying handle make storage and transport easier, saving space in garages or sheds.





ELECTRIC LAWN MOWERS





	KS 32LM12	KS 32LM12-BL
Rated voltage	**230 V**	**230 V**
Frequency	**50 Hz**	**50 Hz**
Rated power	**1200 W**	**1200 W**
Engine type	**brushed**	**brushless induction**
Operating speed	**3450 rpm**	**3000 rpm**
Cutting width	**320 mm**	**320 mm**
Cutting height	**25–45–65 mm (3 positions)**	**25–45–65 mm (3 positions)**
Grass catcher	**30 L**	**30 L**
Mulching function	**–**	**–**
Front/rear wheels	**5.5”**	**5.5”**
Handle adjustment	**–**	**–**
Dimensions (L×W×H)	**590×380×290 mm**	**590×380×290 mm**
Net weight	**6.5 kg**	**12 kg**
Gross weight	**7.7 kg**	**13 kg**
EAN code	**4 260405 369119**	**4 260405 369126**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 117

MULCHING FUNCTION FOR NATURAL LAWN CARE

Cuts the grass into small particles and returns it to the lawn, retaining soil moisture and promoting healthy growth.





ELECTRIC LAWN MOWERS







	KS 38LM16	KS 38LM16-BL	KS 43LM20
Rated voltage	**230 V**	**230 V**	**230 V**
Frequency	**50 Hz**	**50 Hz**	**50 Hz**
Rated power	**1600 W**	**1600 W**	**2000 W**
Engine type	**brushed**	**brushless induction**	**brushed**
Operating speed	**3450 rpm**	**3000 rpm**	**3200 rpm**
Cutting width	**380 mm**	**380 mm**	**430 mm**
Cutting height	**25-75 mm (5 positions)**	**25–75 mm (5 positions)**	**25–80 mm (5 positions)**
Grass catcher	**40 L**	**40 L**	**50 L**
Mulching function	**+**	**+**	**+**
Front/rear wheels	**6.0" / 8.0"**	**6.0" / 8.0"**	**7.0" / 10.0"**
Handle adjustment	**+**	**+**	**+**
Dimensions (L×W×H)	**710×430×370 mm**	**710×430×370 mm**	**720×470×366 mm**
Net weight	**13.2 kg**	**16.5 kg**	**13.75 kg**
Gross weight	**14.5 kg**	**18 kg**	**15 kg**
EAN code	**4 260405 369133**	**4 260405 369140**	**4 260405 369157**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 117

GASOLINE LAWN MOWERS



Engine power	Grass catcher volume	Cutting width	Cutting height
4.0–6.0 hp	60–65 l	460–560 mm	25–75 mm

Könner & Söhnen gasoline lawn mowers are a complete line designed for owners of private plots, country houses, suburban homes and areas with different lawn sizes. All models share a key idea: maximum efficiency, minimum unnecessary effort and a stable result throughout the season. This is equipment that does not just "cut grass", but provides comprehensive lawn care, including seasonal work and leaf clearing.

POWER AND RELIABILITY

Powerful 4-stroke engines with a cast iron sleeve, strong steel decks and a reinforced design ensure high performance and durability even under intensive use.

SELF-PROPELLED MODELS

The wheel drive moves the mower without constant pushing, reduces strain on the arms and back and makes mowing comfortable even on large areas and slopes.

CUTTING HEIGHT ADJUSTMENT (25–75 mm)

Central adjustment with 7 positions lets you easily and quickly set the cutting height from 25 to 75 mm depending on the lawn type, season and your needs.

EFFICIENT GRASS COLLECTION

The innovative deck shape optimizes the airflow and ensures high-quality collection of cut grass into a large 60–65 liter grass catcher (depending on the model). This lets you work longer without frequent emptying.

7 FUNCTIONS IN ONE TOOL

Grass collection into the grass catcher, mulching, side or rear discharge, leaf collection and deck self-cleaning with water. Self-propelled models also offer wheel drive.

COMFORT AND OFF-ROAD CAPABILITY

Large rubberized wheels with deep tread ensure stable movement on uneven surfaces. Ergonomic control levers, a folding handle and a well-thought-out design make operating, transporting and storing the lawn mower easier.

MULCHING FUNCTION

The mulching function cuts the mown grass into small particles and spreads them evenly over the lawn. This helps return nutrients to the soil and keep the lawn looking healthy.



- Full protection and easy maintenance
- Innovative deck design
- Convenient control and ergonomics

COMPREHENSIVE LAWN CARE

One line — everything you need for lawn care: mowing, collecting grass and leaves, mulching, and side and rear discharge. Mulching cuts the mown grass into small particles and spreads them evenly over the lawn. This helps return nutrients to the soil and keep the lawn looking healthy. Choose a model according to the size of your plot and the level of comfort you need.



Grass collection



Mulching



Rear discharge



Self-propelled drive



Side discharge



Self-cleaning



Leaf collection

KS 46LMG —

VERSATILE MODEL FOR MEDIUM-SIZED PLOTS

This is a basic but very practical model with a 46 cm cutting width and a 60 L grass catcher. It is not self-propelled, so it is ideal for those who have a flat, medium-sized lawn and want maximum functionality at an affordable price.



Engine power	**2.9 kW / 4.0 hp**
Engine displacement	**144 cm³**
Gross dimensions	**785×565×440 mm**
Gross weight	**27.0 kg**
EAN code	**4 260405 369188**

Working area
up to 1500 m²

KS 46LMG-SP —

SELF-PROPELLED, VERSATILE MODEL FOR MEDIUM-SIZED PLOTS

A 46 cm cutting width and wheel drive for easy care of medium-sized lawns, even on uneven surfaces and slopes. The powerful 5.2 hp engine and the spacious 65 L grass catcher ensure efficient work without unnecessary stops.



Engine power	**3.8 kW / 5.2 hp**
Engine displacement	**180 cm³**
Gross dimensions	**780×550×440 mm**
Gross weight	**30.2 kg**
EAN code	**4 260405 369164**

Working area
up to 1500 m²

KS 51LMG-SP —

FOR LARGE LAWNS AND FAST RESULTS

The model with a 51 cm cutting width saves considerable time on medium and large lawns. The wheel drive increases efficiency on slopes and uneven surfaces, and the spacious 60 L grass catcher means you need to stop less often to empty it.



Engine power	**3.5 kW / 4.5 hp**
Engine displacement	**170 cm³**
Gross dimensions	**855×575×440 mm**
Gross weight	**34.5 kg**
EAN code	**4 260405 369195**

Working area
up to 2000 m²

KS 56LMG-SP —

MAXIMUM PERFORMANCE FOR LARGE AREAS

This is the most powerful and productive model in the line. A 56 cm cutting width is the ideal solution for those who have large areas or want to get the job done as quickly as possible. The lawn mower is self-propelled and has a 6.0 hp engine, a 65 L grass catcher and 7 lawn care functions.

Engine power	**4.4 kW / 6.0 hp**
Engine displacement	**244 cm³**
Gross dimensions	**870×600×480 mm**
Gross weight	**35.4 kg**
EAN code	**4 260405 369171**



Working area
up to 3000 m²






	KS 46LMG	KS 46LMG-SP	KS 51LMG-SP	KS 56LMG-SP
Max. power	**2.9 kW / 4.0 hp**	**3.8 kW / 5.2 hp**	**3.5 kW / 4.5 hp**	**4.4 kW / 6.0 hp**
Engine model	**RV145-S**	**SRV180**	**RV170-S**	**SRV225**
Engine type	**gasoline, 1-cylinder, 4-stroke, air-cooled**			
Cylinder	**cast iron sleeve**	**cast iron sleeve**	**cast iron sleeve**	**cast iron sleeve**
Engine volume, cm³	**144**	**180**	**170**	**244**
Fuel tank volume, L	**0.8**	**1**	**0.8**	**1.2**
Crankcase oil capacity	**0.5**	**0.4**	**0.5**	**0.45**
Working area	**up to 1500 m²**	**up to 1500 m²**	**up to 2000 m²**	**up to 3000 m²**
Drive type	**manual**	**self-propelled**	**self-propelled**	**self-propelled**
Start type	**manual**	**manual**	**manual**	**manual**
Cutting width	**460 mm**	**460 mm**	**510 mm**	**560 mm**
Cutting height	**25–75 mm (7 positions)**	**25–75 mm (7 positions)**	**25–75 mm (7 positions)**	**25–75 mm (7 positions)**
Grass catcher	**60 L**	**65 L**	**60 L**	**65 L**
Mulching function	**+**	**+**	**+**	**+**
Front/rear wheels	**178 mm, 203 mm**	**203 mm, 252 mm**	**203 mm, 252 mm**	**203 mm, 252 mm**
Handle adjustment	**–**	**+**	**–**	**+**
Dimensions (L×W×H)	**785×565×440 mm**	**780×550×440 mm**	**855×575×440 mm**	**870×600×480 mm**
Gross weight	**27 kg**	**30.2 kg**	**34.5 kg**	**35.4 kg**
EAN code	**4 260405 369188**	**4 260405 369164**	**4 260405 369195**	**4 260405 369171**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 116, 117

GASOLINE TRACTOR LAWN MOWER

FOR LARGE LAWNS AND PROFESSIONAL USE



Engine power	Cutting width	Cutting height	Area of use
12.5 hp	980 mm	30–90 mm	5000-15000 m²

The **Könner & Söhnen** gasoline tractor lawn mower combines high performance, a reliable design and convenient control. The powerful engine, hydrostatic transmission and well-thought-out features ensure efficient mowing of large areas with maximum comfort and precision.

MAXIMUM COMFORT

The HYDRO-GEAR® (USA) hydrostatic transmission provides maximum control and comfortable operation. It allows smooth speed adjustment while driving without stopping or shifting gears manually. **The adjustable seat** reduces fatigue during long work.

COMFORTABLE WORK IN ANY CONDITIONS

Electric start — quick start even in cold weather.
LED headlights — provide good visibility of the work area and let you continue working at dusk.
Visible fuel level — lets you monitor the fuel supply without stopping work.
Water connection — quick cleaning of the mower deck without dismantling.

SAFE AND PRECISE MOWING

Electromagnetic blade engagement — quick switching on and safe stopping of the cutting mechanism.
Mowing in reverse — convenient for narrow places and for finishing missed areas.

POWERFUL PERFORMANCE

KS 98TMG-H is equipped with a powerful **12.5 hp** engine and a **98 cm**-wide mower deck, allowing you to quickly mow large lawns of up to **15 000 m²**. **The 245-litre grass catcher** reduces the number of stops for emptying.

FLEXIBLE CUTTING HEIGHT ADJUSTMENT

7 cutting height positions from **30** to **90 mm** allow precise adjustment of mowing to the grass type and working conditions.



KS 98TMG-H

Engine power	**9.2 kW / 12.5 hp**
Engine volume	**452 cm³**
Start type	**electric start**
Fuel tank volume	**7.5 L**
Transmission type	**hydrostatic**
Max. forward speed	**9 km/h**
Max. reverse speed	**5 km/h**
Cutting width	**980 mm**
Cutting height	**30–90 mm (7 positions)**
Blade engagement type	**electromagnetic**
Grass catcher volume	**245 L**
Front tires	**15×600-6**
Rear tires	**18×850-8**
Dimensions (L×W×H)	**2360×1040×1100 mm**
Weight	**200 kg**
EAN code	**4 260405 369225**

- Powerful single-cylinder engine with cast iron sleeve
- Reverse mowing function
- LED headlights
- Visible fuel level
- Seat adjustment



ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 116, 117


WOOD

TRADITION
DEUTSCHER
QUALITÄT



CHAINSAWS



AXE



LOG SPLITTERS



WOOD CHIPPERS

ELECTRIC CHAINSAWS



Rated power	Operating voltage	Bar length	Chain speed
1800 - 2400 W	230 V/50 Hz	13" - 20"	13 - 15 m/s

Könner & Söhnen® electric chainsaws deliver high, continuous performance without the need for recharging or refueling — ideal for long and demanding jobs.

Thanks to their light and compact design, **K&S** saws guarantee excellent **maneuverability and control** even in tight spaces. They **produce no harmful emissions**, so they are suitable for use indoors or in semi-enclosed areas.

AUTOMATIC CHAIN LUBRICATION

A built-in pump continuously supplies oil to the bar and chain, ensuring smooth operation, reducing wear and extending the tool's service life.

TOOL-FREE CHAIN TENSIONING

Quick chain tension adjustment without tools. Ensures safe use, optimal cutting efficiency and prevents premature wear.

SOFT START SYSTEM


Gradually increases the chain speed for a smooth and controlled start. Prevents overload and increases working comfort.

MAXIMUM PROTECTION

A double safety system automatically cuts the power in emergencies, and **the start lock button** prevents accidental switching on.

POWERFUL MOTORS UP TO 2400 W

Reliable and efficient electric motors deliver up to 2400 W of power and a chain speed of 13–15 m/s, guaranteeing fast, clean cutting and high performance. Quiet, emission-free and designed for stable operation and a long service life.



Original Oregon bar and chain

- High chain speed (up to 15 m/s) ensures efficient cutting
- The ergonomic rubberized handle reduces vibration and prevents slipping
- Light design for convenient control in different cutting directions






	KS CS1800-14	KS CS2200-16	KS CS2400-18
Rated power	**1800 W**	**2200 W**	**2400 W**
Supply voltage	**230 V**	**230 V**	**230 V**
Frequency	**50 Hz**	**50 Hz**	**50 Hz**
Bar length	**14" (35 cm)**	**16" (40 cm)**	**18" (45 cm)**
Chain pitch	**3/8"**	**3/8"**	**3/8"**
Chain gauge	**0.043" (1.1 mm)**	**0.050" (1.3 mm)**	**0.050" (1.3 mm)**
Chain speed	**15 m/s**	**14 m/s**	**13 m/s**
Oil tank capacity	**280 ml**	**140 ml**	**190 ml**
Double safety brake	**+**	**+**	**+**
Tool-free chain tensioning	**+**	**+**	**+**
Soft start system	**–**	**+**	**+**
Overload protection	**–**	**+**	**+**
Dimensions (L×W×H)	**500×285×200 mm**	**545×225×255 mm**	**510×265×200 mm**
Net weight	**4.7 kg**	**5.2 kg**	**5.7 kg**
Gross weight	**5.4 kg**	**5.9 kg**	**6.3 kg**
Product code	**4 260405 367085**	**4 260405 367108**	**4 260405 367092**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 116, 117

GASOLINE CHAINSAWS



Engine power	Output power	Engine displacement	Bar length
1.8 - 4.0 hp	1.35 - 2.9 kW	35 - 65 cm³	13”/16”/20”

Könner & Söhnen® gasoline chainsaws combine high performance, reliability and complete independence from external power sources. Ideal both for professional forestry work and for household use — they can handle **any type of wood**, including freshly cut logs.

Thanks to **Walbro** carburetors and **Bosch** spark plugs, the chainsaws ensure stable and efficient operation and a long service life.

HIGH-PERFORMANCE ENGINES

Reliable, wear-resistant engines with a **four-channel fuel supply system** ensure efficient combustion, maximum power and reduced emissions. **The chrome-plated cylinder coating** increases resistance to heavy loads and high temperatures, extending engine life.

AUTOMATIC CHAIN LUBRICATION

A built-in **oil pump** evenly supplies lubricant to the bar and chain for smooth and stable operation. Oil flow adjustment lets you **optimize consumption** depending on the task and bar length.

EASY START SYSTEM

Makes starting the engine easier and reduces pulling effort — for reliable starting in any weather.

SIDE CHAIN TENSIONING

Quick and safe chain adjustment from the side of the housing — without disassembly or additional tools.


Safety is one of the top priorities of **Könner & Söhnen®**. All gasoline chainsaws are equipped with **an inertia brake** that stops the chain instantly in an emergency, **a chain catcher** to prevent kickback, and **a throttle lock** to rule out accidental start-up.



HIGH-PERFORMANCE ENGINE WITH CHROME-PLATED CYLINDER

Reduces wear and withstands high loads and extreme temperatures. The four-channel fuel supply system ensures maximum engine efficiency.

Chrome plating





SPARK PLUG BOSCH

Bosch spark plugs provide a strong, consistent spark in any conditions, guaranteeing **easy starting, smooth running and stable engine performance**.

The cover with quick-release latches provides **quick access** to the air filter and spark plug for convenient maintenance.

JAPANESE WALBRO CARBURETOR

Used in the **KS CS31G, KS CS40G-20 models. The Walbro carburetor** precisely regulates the fuel supply for optimal combustion and excellent **fuel efficiency,** reducing operating costs and ensuring **maximum power.**

PAPER AIR FILTER

In the **KS CS31G** models, the enlarged **paper filter** provides better air filtration than nylon filters.

Its larger surface area guarantees **optimal airflow**, increasing engine efficiency and extending service intervals.

WATERPROOF NYLON FILTER

In the **KS CS21G models, the nylon filter** is resistant to moisture and impact, washable with water and provides reliable protection against dust and dirt — a guarantee of **stable operation** and **longer engine life**.

KS CS18G-14C

The **KS CS18G-14C** chainsaw is a compact yet **powerful solution** for everyday work in the garden and yard. **The chrome plating on the cylinder** extends engine life, and the **Summer/Winter** modes ensure easy starting in any weather. Safety and comfort are provided by **the inertia brake**, the **Auto STOP/START** system, **tool-free chain tensioning and an ergonomic handle** for confident, fatigue-free work.



KS CS20G-16

The **KS CS20G-16 (2.1 hp, 1.6 kW, 16" bar)** chainsaw is a compact and reliable tool for garden and household work. **The chrome-plated cylinder coating** ensures durability, and the **Summer/Winter** mode, the **EASY START system, primer and auto STOP function** guarantee fast starting, safe operation and maximum convenience in any conditions.







	KS CS18G-14C	KS CS20G-16
Engine power	**1.8 hp / 1.35 kW**	**2.1 hp / 1.6 kW**
Engine displacement	**35 cm³**	**40 cm³**
Maximum engine speed	**13000 rpm**	
Idle speed	**3000 rpm**	
Fuel tank volume	**310 ml**	
Chain lubrication system	**automatic pump with regulator**	
Chain tensioning	**tool-free**	**side adjustment**
Oil tank capacity	**210 ml**	
Bar length	**14" (35 cm)**	**16" (40 cm)**
Chain pitch	**LP 3/8"**	
Chain gauge	**0.05" (1.3 mm)**	
Dry weight	**4.8 kg**	
EAN code	**4 260405 364 183**	**4 260405 365029**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 75, 116, 117

CHOOSE THE BAR AND CHAIN FOR YOUR TASKS

Configure your **Könner & Söhnen®** chainsaw to suit your needs. Choose the optimal bar length and brand — **K&S or Oregon®** — **for greater precision, convenience and efficiency**.

KONNER SOHNEN OR OREGON

13"|33 cm — 16"|40 cm — 18"|45 cm — 20"|50 cm





	KS CS21G-13	KS CS21G-16	KS CS21G-16-1
Engine volume		**45 cm³**	
Maximum engine power		**2.1 hp / 1.6 kW at 8500 rpm**	
Max. rotation speed		**11500 ± 500 rpm**	
Idle speed		**3000 ± 300 rpm**	
Carburetor		**HUALONG – MC16**	
Fuel tank volume		**550 ml**	
Fuel/oil ratio		**40:1**	
Oil tank capacity		**260 ml**	
Chain lubrication system		**automatic pump with regulator**	
Bar length	**13" (33 cm)**	**16" (40 cm)**	**16" (40 cm)**
Bar and chain brand	**K&S**	**K&S**	**Oregon**
Chain pitch		**0.325" (8.25 mm)**	
Chain gauge		**0.058" (1.5 mm)**	
Packed dimensions (L×W×H)		**430×255×300 mm**	
Net weight		**5.6 kg**	
Gross weight		**7.5 kg**	
EAN codes	**4 260405 367986**	**4 260405 367979**	**4 260405 367962**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 75, 116, 117





GASOLINE CHAINSAWS








	KS CS31G-16	KS CS31G-16-1	KS CS31G-18	KS CS31G-18-1	KS CS31G-20	KS CS31G-20-1
Engine displacement	**54.5 cm³**					
Maximum engine power	**3.1 hp / 2.3 kW at 8500 rpm**					
Maximum engine speed	**11000 ± 500 rpm**					
Idle speed	**3000 ± 300 rpm**					
Carburetor	**WALBRO – WT-966**					
Fuel tank volume	**550 ml**					
Fuel/oil ratio	**40:1**					
Oil tank capacity	**260 ml**					
Chain lubrication system	**automatic pump with regulator**					
Bar length	**16" (40 cm)**	**16" (40 cm)**	**18" (45 cm)**	**18" (45 cm)**	**20" (50 cm)**	**20" (50 cm)**
Bar and chain	**K&S**	**Oregon**	**K&S**	**Oregon**	**K&S**	**Oregon**
Chain pitch	**0.325" (8.25 mm)**					
Drive chain gauge	**0.058" (1.5 mm)**					
Packed dimensions (L×W×H)	**505×255×300 mm**					
Net weight	**5.6 kg**					
Gross weight	**7.5 kg**					
EAN code	**4 260405 367955**	**4 260405 367924**	**4 260405 367948**	**4 260405 367917**	**4 260405 367931**	**4 260405 367900**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 75, 116, 117



KS CS40G-20

The **Könner & Söhnen® KS CS40G-20** chainsaw combines **professional-level** power with user comfort and safety. Equipped with a **65 cm³ / 4.0 hp** engine and a **20" (50 cm)** bar, it easily handles hardwood, storm clean-up and agricultural work.

For user convenience, the saw has **automatic chain lubrication, an internal clutch, side chain tension adjustment and an easy start system** that guarantees reliable starting even after long storage.

The anti-vibration system and advanced **safety features** ensure comfortable and safe operation, while German engineering reliability provides **durability and easy maintenance.**



Engine displacement	**65 cm³**
Maximum engine power	**4 hp / 2.9 kW**
Maximum rotation speed	**11500±500 rpm**
Idle speed	**3000±300 rpm**
Fuel tank volume	**550 ml**
Lubricant tank capacity	**260 ml**
Bar length (on request)	**20" (50 cm)**
Net weight	**5.7 kg**
EAN code	**4 260405 368983**

- Powerful 65 cm³ two-stroke engine
- 20" (50 cm) guide bar for versatile use
- Instant-action chain brake
- Anti-vibration system
- Easy start
- Automatic chain lubrication
- Complies with the Euro 5 standard

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 75, 116, 117



CHAINSAW BAR

The **Könner & Söhnen®** chainsaw bar is suitable for firewood preparation, garden care, tree pruning and construction work. It is made of **three welded steel plates** with a reinforced stiffening rib. The simple design allows quick tool-free bar installation. Reliable, **hardened materials** ensure a long service life.





- **Suitable for professional and household use**
- **The bar surface is induction-hardened with high-frequency currents for increased wear resistance**

				+2	EAN code
KS 138THK095	**13" (33 cm)**	**0.058" (1.5 mm)**	**10**	**0.325**	**4260405367856**
KS 168THBK095	**16" (40 cm)**	**0.058" (1.5 mm)**	**10**	**0.325**	**4260405367849**
KS 188THK095	**18" (45 cm)**	**0.058" (1.5 mm)**	**10**	**0.325**	**4260405367832**
KS 208WHBK095	**20" (50 cm)**	**0.058" (1.5 mm)**	**12**	**0.325**	**4260405367825**

CHAINSAW CHAIN

Könner & Söhnen® saw chains are made of high-quality **chrome-nickel steel** using advanced technologies. Designed for professional use, they provide fast and smooth cutting **of both soft and hard wood.**
The elongated tooth shape guarantees high efficiency, and **the hard chrome plating** increases wear resistance and extends service life.

- **Highly efficient cutting tooth shape**
- **Suitable for professional use**
- **German 68CrNiMo steel — strong even at low temperatures**
- **Hardened rivets for a reinforced link connection**
- **Smooth cutting with low vibration and minimal kickback**
- **Oil retention hole — improved chain lubrication**



		+2				EAN code
KS 28FC56	**13" (33 cm)**	**0.325**	**1.5 mm**	**56**	**Full chisel tooth**	**4260405367894**
KS 28FC66	**16" (40 cm)**	**0.325**	**1.5 mm**	**66**	**Full chisel tooth**	**4260405367887**
KS 28FC72	**18" (45 cm)**	**0.325**	**1.5 mm**	**72**	**Full chisel tooth**	**4260405367870**
KS 28FC78	**20" (50 cm)**	**0.325**	**1.5 mm**	**78**	**Full chisel tooth**	**4260405367863**

CHAINSAW OILS

Könner & Söhnen® chainsaw lubricants provide efficient lubrication and reliable protection for all two-stroke engines.

The low-ash formula keeps engine parts clean, prevents carbon deposits and extends the tool's service life.

- **Ensures smooth operation and reduces wear.**
- **Mixes easily with gasoline — convenient to use.**
- **Prevents corrosion and rust.**
- **Extends the service life of the bar, chain and sprockets.**
- **Suitable for most two-stroke engines.**

Shelf life: 5 years | Made in Ukraine

Specifications: API: TC | JASO: FC | ISO: L-EGC



CHAIN LUBRICATION OIL

The versatile all-season Könner & Söhnen® oil reduces friction, protects against corrosion and extends the service life of the chain and bar. It ensures stable operation in any weather and is suitable for all types of chainsaws.

KS BAR+CHAIN OIL

Volume	**1 L**
Seasonality	**all-season**
Suitable for	**all types of chainsaws**
EAN code	**4 260405 368273**



ALL-SEASON FORMULA

TWO-STROKE ENGINE OIL

Premium semi-synthetic low-ash oil **Könner & Söhnen** for air-cooled two-stroke engines provides excellent lubrication and reliable protection. It significantly **extends engine life** and guarantees long, trouble-free operation of your equipment.

KS 2T OIL

Volume	**1 L**
Fuel to oil ratio	**40:1**
Quality standards	**API: TC, JASO: FC, ISO: L-EGC**
EAN code	**4 260405 368280**



ALL-SEASON FORMULA

AXES



UNIVERSAL AXE

The **Könner & Söhnen®** universal axe is a multi-purpose tool, ideal for firewood preparation, woodworking, construction work and outdoor use. **The hardened carbon steel blade with anti-corrosion PTFE coating** ensures long-lasting sharpness and protection against rust.

The lightweight **fiberglass handle** transfers force efficiently and reduces fatigue. The ergonomic **shock-absorbing insert** reduces vibration, and **the anti-slip coating** guarantees a secure grip in any weather.

Strong, balanced and easy to use, this axe is also ideal for **camping, hiking and field work**.

- **Hardened and heat-treated carbon steel blade**
- **Well-balanced design for efficient force transfer**
- **Lightweight fiberglass handle — easy to carry and easy to chop**
- **Ergonomic shock-absorbing grip reduces vibration**
- **PTFE-coated blade — protection against corrosion and rust**
- **Strong handle with anti-slip coating**



Sharpening angle: 30°

Handle with anti-slip coating

Plastic cover



	KS CA640	KS CA950	KS CA1250	KS CA1500
Axe length	**355 mm**	**445 mm**	**600 mm**	**710 mm**
Axe weight	**640 g**	**950 g**	**1250 g**	**1500 g**
Sharpening angle	**30°**	**30°**	**30°**	**30°**
EAN code	**4 260405 367382**	**4 260405 367399**	**4 260405 367405**	**4 260405 367412**

AXE AND KNIFE SHARPENER

The multi-purpose sharpener with anti-slip rubber feet ensures convenient and safe sharpening.

- Ceramic sharpening roller
- Strong ABS plastic housing

KS MS1	
Sharpener	**1 pcs**
EAN code	**4 260405 367443**





ELECTRIC AND GASOLINE LOG SPLITTERS



Splitting force	Max. log length	Engine type	Max. log diameter
7-27 tons	520 - 650 mm	electric / gasoline	300 - 550 mm

Könner & Söhnen® log splitters and wood chippers process all types of wood — from dry logs to freshly felled trunks — ensuring maximum efficiency, ease of use and long-term reliability.


The series includes **electric and gasoline log splitters** with a splitting force **of 7 to 27 tons** and wood chippers with engine power **from 6.5 to 15 hp.** These machines are designed for efficient processing of natural wood and waste, guaranteeing durability and reliability in every task.

The line includes both **hydraulic and kinetic** log splitters equipped with high-performance engines and quality components. They can process logs with a diameter **of up to 550 mm** and a length **of up to 650 mm** — both dry and freshly felled, making them ideal for household and professional use.

K&S log splitters and wood chippers ensure fast garden clean-up and firewood preparation, promoting **the economical use of resources.**

Könner & Söhnen® log splitters ensure fast and easy firewood preparation. **Kinetic models** achieve a splitting speed **of up to 2 seconds** — 5–7 times faster than hydraulic counterparts — and require only a simple push of a lever. **Hydraulic models** work smoothly and safely, guaranteeing **controlled and reliable splitting** of any type of wood.





ELECTRIC LOG SPLITTERS

Könner & Söhnen® electric log splitters are compact, mobile machines with a reliable **2000 W** motor. They are easy to operate, **environmentally friendly** and suitable even for indoor use — **no fuel, no exhaust and no complex maintenance**. The compact hydraulic design ensures **safe and smooth log splitting** and gives enough time to load the next one. Easy to transport and store — the ideal choice for everyday use.

KS 7THE 52/30

The hydraulic log splitter uses a motor-driven piston that provides a splitting force of **7 tons**, guaranteeing smooth and controlled operation. The environmentally friendly motor and high-quality design efficiently handle both dry and wet logs up to **300 × 520 mm.**

SPLIT-TING TIME 10 seconds



Log splitter type	**hydraulic**
Engine power	**2000 W**
Splitting force	**7 tons**
Engine type	**electric**
EAN code	**4260405364138**

KS 8TKE 52/35

The kinetic log splitter with a force of **8 tons** splits logs **in 2 seconds**. The powerful electric motor and sturdy design efficiently process dry and wet wood **up to 350 × 520 mm.**

Log splitter type	**kinetic**
Engine power	**2000 W**
Splitting force	**8 tons**
Engine type	**electric**
EAN code	**4260405364145**

SPLIT-TING TIME 2 seconds





Included: polycarbonate protective screen, gloves and metal protective cover.

VERTICAL ELECTRIC LOG SPLITTERS

Könner & Söhnen® vertical log splitters are designed for difficult conditions and long work. **A reliable electric motor, hydraulic drive and strong steel frame** ensure power, durability and stability. Thanks to the transport wheels, the machine is easy to move and store.

KS 8THE V 55/40

This vertical electric log splitter provides a force of **8 tons** and splits logs with a length **of up to 550 mm** and a diameter **of up to 400 mm**. The splitting cycle takes **15 seconds**, guaranteeing stable and controlled operation in a compact vertical format.

Log splitter type	**hydraulic**
Engine power	**2300 W**
Splitting force	**8 tons**
Engine type	**electric**
EAN code	**4260405365692**

SPLIT-TING TIME 15 seconds



KS 12THE V 65/40

This vertical electric log splitter with a splitting force of **12 tons** works efficiently with logs up to **650 mm long and 400 mm in diameter**. The powerful emission-free motor and sturdy design ensure stable operation, while the reinforced blade, wide base and low wedge guarantee stability and ease of use.

Log splitter type	**hydraulic**
Engine power	**2300 W**
Splitting force	**12 tons**
Engine type	**electric**
EAN code	**4260405365708**

SPLIT-TING TIME 25 seconds





Included: polycarbonate protective screen, gloves and metal protective cover.

GASOLINE LOG SPLITTERS

Könner & Söhnen® gasoline log splitters provide high power and stable operation in any weather. They are resistant to moisture and temperature changes and are equipped with modern engines that comply with the **EURO 5** standard and all European quality and environmental requirements.

KS 15TKG 52/35

The Könner & Söhnen® KS 15TKG 52/35 gasoline kinetic log splitter develops a force of **15 tons** and completes each cycle in just **2 seconds**, saving time on every log.

It easily splits dry and wet wood **up to 350 × 520 mm**, and the hardened steel blade built into the frame withstands heavy loads and guarantees a long service life.

Log splitter type	**kinetic**
Working position	**horizontal**
Splitting force	**15 tons**
Engine type	**gasoline**
EAN code	**4260405364152**

SPLIT-TING TIME 2 seconds

EURO 5



KS 27THG 65/55

This hydraulic log splitter delivers a powerful splitting force of **27 tons**, easily handling logs **up to 650 mm** long and **550 mm** in diameter.

Equipped with a reliable gasoline engine, it works autonomously and supports horizontal and vertical modes — without the need to lift heavy logs.

The reinforced steel frame, strong wedge and stable base guarantee safe and durable operation even under intensive use.

Log splitter type	**hydraulic**
Working position	**horizontal/vertical**
Splitting force	**27 tons**
Engine type	**gasoline**
EAN code	**4260405364169**

SPLIT-TING TIME 15 seconds

EURO 5



Included: polycarbonate protective shield, gloves and metal protective cover.

EURO 5

Könner & Söhnen® engines are reliable, efficient and **fuel-efficient,** and fully comply with **European and global quality standards,** including **the current EURO 5 emission requirements.**

ELECTRIC AND GASOLINE LOG SPLITTERS








	KS 7THE 52/30	KS 8TKE 52/35	KS 8THE V 55/40
Engine type	**electric**	**electric**	**electric**
Log splitter type	**hydraulic**	**kinetic**	**hydraulic**
Voltage, V	**230**	**230**	**230**
Frequency, Hz	**50**	**50**	**50**
Engine power	**2000 W**	**2000 W**	**2300 W**
Splitting force, tons	**7**	**8**	**8**
Max. log length, mm	**520**	**520**	**550**
Max. log diameter, mm	**300**	**350**	**400**
Splitting speed, sec.	**~ 10**	**~ 2**	**~ 15**
Working position	**horizontal**	**horizontal**	**vertical**
Flywheel speed, rpm	**–**	**400**	**–**
Wheels	**6”**	**8”**	**8”**
Dimensions (L×W×H), mm	**980×270×520**	**1270×340×780**	**570×380×1160**
Net weight, kg	**47**	**110**	**114**
Gross weight, kg	**49**	**130**	**126**
Protection class	**IP54M**	**IP54M**	**IP54M**
QR code			
EAN code	**4 260405 364138**	**4 260405 364145**	**4 260405 365692**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 116, 117









ADDITIONAL ACCESSORIES	LOG SPLITTER STAND	LOG SPLITTER TABLE	LOG LIFT LEVER
KS 7THE 52/30	**KS Bracket**	**–**	**KS Lever**
KS 8TKE 52/35	**–**	**KS 8-15Table**	**KS Lever**
KS 15TKG 52/35	**–**	**KS 8-15Table**	**KS Lever**
KS 27THG 65/55	**–**	**KS 27Table**	**KS Lever**
KS 8THE V 55/40	**–**	**–**	**KS Lever**
KS 12THE V 65/40	**–**	**–**	**KS Lever**
EAN code	**4 260405 364541**	**7 139446 325424** **7 139446 292656**	**7 139446 194352**








	KS 12THE V 65/40	KS 15TKG 52/35	KS 27THG 65/55
Engine type	**electric**	**gasoline**	**gasoline**
Log splitter type	**hydraulic**	**kinetic**	**hydraulic**
Voltage, V	**230**	**–**	**–**
Frequency, Hz	**50**	**–**	**–**
Engine power	**2300 W**	**6.5 hp**	**6.5 hp**
Splitting force, t	**12**	**15**	**27**
Max. log length, mm	**650**	**520**	**650**
Max. log diameter, mm	**400**	**350**	**550**
Splitting speed, sec.	**~ 25**	**~ 2**	**~ 15**
Working position	**vertical**	**horizontal**	**vertical / horizontal**
Flywheel speed, rpm	**400**	**450**	**450**
Wheels	**8”**	**12”**	**16”×4.8-8, support wheel with brake**
Dimensions (L×W×H), mm	**710x450x1170**	**1400x380x610**	**2250x505x570**
Net weight, kg	**110**	**97**	**260**
Gross weight, kg	**123**	**110**	**295**
Protection class	**IP54M**	**IP54M**	**IP54M**
QR code			
EAN code	**4 260405 365708**	**4 260405 364152**	**4 260405 364169**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 116, 117





WOOD CHIPPERS



Engine power	Chip discharge height	Starting system	Number of cutting blades
6.5 - 15 hp	1100 - 1600 mm	manual/electric	2 steel blades

Könner & Söhnen® gasoline wood chippers are mobile units that work autonomously without connection to external power sources. They are ideal for private households, gardens and parks, as well as for municipal services — for cleaning parks and playgrounds and maintaining large areas.

Instead of burning garden waste — a method that is harmful to the environment and restricted by law — **K&S** chippers offer an efficient recycling solution. They shred branches, vines and other plant residues into chips **(3–20 mm)** that can be used as fuel (for solid fuel boilers, fireplaces, stoves) or as mulch for plants.

Equipped with hardened steel blades, the chippers easily handle both dry and fresh wood with a diameter of up to **120 mm**, ensuring stable and reliable operation in any conditions.

MAXIMUM SAFETY AND USER COMFORT GUARANTEED:

- **Large feed hopper** for convenient feeding and fast shredding of branches
- **A silicone flap** on the inlet prevents chips from being thrown towards the operator
- **Protective equipment included:** polycarbonate shield, gloves and ear protection





RECYCLING WASTE HELPS PRESERVE NATURAL RESOURCES



TWO HARDENED CARBON STEEL BLADES

Efficiently shred all types of wood — from dry branches to fresh plant waste up to Ø120 mm.

POWERFUL PROPRIETARY ENGINE

Modern gasoline engines comply with strict European standards, including **EURO 5.**

EASY MOVEMENT AND STABILITY

A low center of gravity ensures stability and easy maneuvering even under intensive use.

MOBILITY

Pneumatic wheels ensure smooth movement over uneven surfaces such as gravel or soil.

HIGH-PERFORMANCE MODEL

The **KS 700WS chipper with a 420 cm³ / 15 hp engine** is designed for intensive loads — strong, reliable and ready for professional use.

KS 400WS

The **KS 400WS** garden shredder is a versatile solution for homeowners and garden plot owners. It is equipped with two feed hoppers: a large top hopper for leaves, grass, straw and thin branches **up to 10 mm,** and a side hopper for dry or fresh wood **up to 45 mm** (total throughput — **up to 76 mm).**



Engine power	**6.5 hp**
Start	**manual**
Maximum feed diameter	**76 mm**
Net weight	**70 kg**
EAN code	**4260405365272**

KS 500WS

The **KS 500WS** gasoline wood chipper is a powerful, mobile and reliable solution for garden, private and agricultural use. The large feed hopper and two hardened steel blades efficiently shred branches **up to 76 mm**. The adjustable chute lets you change the height and direction of chip discharge. Pneumatic wheels make transport easier even over uneven terrain.



Engine power	**6.5 hp**
Starting system	**manual**
Maximum feed diameter	**76 mm**
Net weight	**95 kg**
EAN code	**4260405361618**

KS 700WS

The **KS 700WS** branch chipper is the most powerful model in the line, designed for heavy garden and agricultural work. The **15 hp** engine handles branches with a diameter **of up to 120 mm**, and the large **16-inch** pneumatic wheels and low center of gravity ensure stability and easy transport. It is equipped with a manual or electric starter and adjustable chip discharge height — **up to 1600 mm.**



Engine power	**15 hp**
Starting system	**manual/electric**
Maximum branch diameter	**120 mm**
Net weight	**210 kg**
EAN code	**4260405361687**



Included: polycarbonate protective screen, gloves and ear defenders.





	KS 400WS	KS 500WS	KS 700WS
Engine power, hp	**6.5**	**6.5**	**15**
Start	**manual**	**manual**	**manual/electric**
Number of cutting blades, pcs.	**2**	**2**	**2**
Max. feed diameter (hopper), mm	**76**	**76**	**120**
Single item diameter (hopper), mm	**10**	**30**	**50**
Max. feed diameter (side feed), mm	**76**	**–**	**–**
Single item diameter (side feed), mm	**45**	**–**	**–**
Discharge height, mm	**–**	**1100**	**1600**
Output chip size, mm	**3–4**	**10–15**	**10–20**
Blade rotation speed, rpm	**2400**	**3000**	**3000**
Engine type	**gasoline, 4-stroke**	**gasoline, 4-stroke**	**gasoline, 4-stroke**
Engine volume, cm^3	**196**	**196**	**420**
Engine model	**KS 230**	**KS 230**	**KS 430**
Engine speed, rpm	**3600**	**3600**	**3600**
Fuel tank volume, L	**3.6**	**3.6**	**6.5**
Oil tank capacity, L	**0.6**	**0.6**	**1.1**
Wheels	**10”**	**12”**	**16”**
Net dimensions (L×W×H), mm	**920x730x1275**	**1500x740x1300**	**2550x1100x1600**
Gross dimensions (L×W×H), mm	**750x480x1150**	**880x480x760**	**1140x660x1120**
Net weight, kg	**70**	**95**	**210**
Gross weight, kg	**80**	**110**	**230**
Protection class	**IP54M**	**IP54M**	**IP54M**
QR code			
EAN code	**4 260405 365272**	**4 260405 361618**	**4 260405 361687**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 116, 117



EURO 5 **Könner & Söhnen® engines are reliable, efficient** and **fuel-efficient,** and fully comply with **European and global quality standards,** including **the current EURO 5 emission requirements.**


SOIL

TRADITION
DEUTSCHER
QUALITÄT



TILLERS



MULTISEASON
MULTIFUNCTIONAL
4-IN-1 MACHINE

ELECTRIC TILLERS



Engine power	Voltage	Working width	Low noise level
1000-2000 W	230 V	≤ 36-55 cm	Lpa (7m) — 68 dB

The **Könner & Söhnen®** tiller line covers all gardening needs — from loosening light soil to working dense clay, planting, weeding and harvesting.

Compact electric models are suitable for narrow plots and greenhouses, providing easy handling in confined spaces, while **powerful gasoline models** are efficient on medium and large plots.

The ECO series is designed for small gardens and decorative areas — **light, quiet, environmentally friendly**, and requires no complex maintenance or special skills.



- **Protection against accidental start-up**
- **Eco-friendly and almost silent K&S electric motor**
- **High maneuverability**
- **Ergonomic control panel with adjustable handles**
- **The chain drive transmits up to 95% of the motor torque**
- **Wheels for convenient transport (on model KS 1500T E)**
- **Optimal power-to-weight ratio**



ENVIRONMENTALLY eco FRIENDLY MOTOR





Eco-friendly and reliable Könner & Söhnen® motor	KS 1000T E	KS 1500T E
Engine model	**KS ECO 1000**	**KS ECO 1500**
Motor power, W	**1000**	**1500**
Voltage, V	**230**	**230**
Frequency, Hz	**50**	**50**
Engine type	**electric**	**electric**
Working width, cm	**≤ 36**	**≤ 45**
Working depth, cm	**≤ 22**	**≤ 22**
Noise level Lpa (7m)/Lwa, dB	**68/93**	**68/93**
Dimensions (L×W×H), mm	**380x275x530**	**480x320x545**
Net weight, kg	**10**	**14.5**
QR code		
EAN code	**4 260405 363728**	**4 260405 361809**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 117


GASOLINE TILLERS

Engine power	Drive type	Working width	Number of cutting blades
5 - 9 hp	belt, chain, direct drive	≤ 50 - 134 cm	attachments can be fitted

WITH BELT DRIVE

Könner & Söhnen® belt-driven gasoline tillers **(5–7 hp)** are designed **for any type of soil** — from light soil to heavy clay. Compact yet powerful, they easily perform a wide range of agricultural work — from soil preparation and planting to harvesting and plot maintenance. The modern design combines functionality with a compact, stylish shape.

The **KS 4HP-70 and KS 7HP-850A** models are equipped with transport wheels for easy movement on small plots, and **KS 7HP-850A, KS 7HP-950A and KS 7HP-950S** support attachments such as hillers, ploughs, potato ploughs and metal wheels, making them **versatile tools** for any season.





POWERFUL ENGINES

Könner & Söhnen® engines are powerful, reliable and fully comply with European quality standards, including **EURO 5.** Each engine has a unique serial number, which ensures precise production control and reliable **service support.**

ERGONOMIC CONTROL PANEL

The ergonomic control panel ensures convenience and precise maneuvering. All models feature **handle adjustment** in height and angle, and **KS 7HP-950S** has a built-in toolbox.



VIEW IN 3D





FORGED BLADES

Forged, sabre-shaped blades easily handle any type of soil, including virgin soil. Equipped with **protective discs** (except model KS 7HP-850A), they provide a working width of **50–108 cm** and a depth of up to **31 cm** — ideal for efficient tilling in any conditions.

QUALITY IN THE DETAILS

Every assembly and joint is designed for durability, safety and operator convenience. **Reinforced elements**, precise joints and rubber seals reduce vibration and noise, ensuring **smooth and stable operation** of the tiller.

KS 4HP-70

The **KS 4HP-70** gasoline tiller is a compact and efficient machine for small and medium plots. Forged sabre-shaped tines (**up to 70 cm**) easily work any soil, and the side discs protect plants.

Engine power	**5 hp**
Drive type	**belt, worm gearbox**
EAN code	**4260405363926**



KS 7HP-850A

The **KS 7HP-850A** gasoline tiller is a powerful and convenient tool for working small and medium plots. A working width of **80 cm** and a chain drive with an efficiency of up to **95%** guarantee high productivity. The adjustable ergonomic panel ensures comfort, compact storage and easy, smooth operation.

Engine power	**7 hp**
Drive type	**belt, chain drive**
EAN code	**4260405363506**



KS 7HP-950A

The **KS 7HP-950A** gasoline tiller is a versatile and reliable machine for tilling, planting and harvesting.
A working width of **up to 108 cm** ensures efficient work with any soil. The compact design and the ergonomic panel with **180°** adjustment guarantee comfort and easy storage.

Engine power	**7 hp**
Drive type	**belt, chain drive**
EAN code	**4260405363513**



KS 7HP-950S

The **KS 7HP-950S** gasoline tiller is a strong and multi-functional tool for tilling, planting and harvesting. A working width of **108 cm** and a panel with **360°** vertical and **180°** horizontal adjustment ensure convenience and compact storage. The built-in toolbox increases working comfort.

Engine power	**7 hp**
Drive type	**belt, chain drive**
EAN code	**4260405363520**



SCOPE OF DELIVERY

Könner & Söhnen® belt-driven tillers (**KS 7HP-850A, KS 7HP-950A, KS 7HP-950S**), as well as direct-drive models with a gearbox, can be fitted with various attachments.

A wide choice of accessories lets you work with any type of soil and adapt the tiller to the user's individual needs.

Potato plough

KS PP4

Weight	**4.5 kg**
EAN code	**4260405361748**




Sided plough

KS SP2

Weight	**4.2 kg**
EAN code	**4260405361816**





Adjustable ditcher

KS AD3

Weight	**4 kg**
EAN code	**4260405361823**



Simple ditcher

KS SD1

Weight	**2 kg**
EAN code	**4260405361755**



Forged blade

KS BL10

EAN code	**4260405362240**



Pneumatic wheels

KS RW40

Diameter	**4.00 - 8″**
Weight	**4 kg**
EAN code	**4260405361878**



Metal grouser

KS MG40

Diameter	**46.5 cm**
Width	**10 cm**
Weight	**3.3 kg**
EAN code	**4260405363599**



Axle for wheel mounting

KS AT23


Diameter	**23 cm**
Hub length	**20 cm**
EAN code	**4260405363773**



(compatible with models KS 7HP-850A, KS 7HP-950A, KS 7HP-950S, KS 7HP-1050G, KS 9HP-1350G-3)

HIGH-POWER TILLERS WITH GEARBOX

Könner & Söhnen® is improving its line of powerful direct-drive tillers with a gearbox — a reliable alternative to diesel models and mini tractors. The **KS 9HP-1350G-3** model has an extended **gearbox with three forward gears and reverse**, as well as an active PTO for connecting motor pumps or sprayers. A trailer can be connected for transporting loads. A working width **of up to 134 cm** makes it ideal for large plots. The gear transmission ensures durability and stable operation under load, and **K&S** engines comply with the **EURO 5 standard.**






TUBELESS OR PNEUMATIC WHEELS

Könner & Söhnen® tillers have **strong wheels** for stable operation on any surface.

KS 7HP-1050G is equipped with **tubeless low-profile wheels**, and KS 9HP-1350G-3 with **4.00-8" or 5.00-12" pneumatic wheels** that guarantee good traction and maneuverability.



ERGONOMIC CONTROL PANEL

The ergonomic control panel ensures easy control and precise work. The handles adjust **vertically up to 180° and horizontally up to 360°**, ensuring comfort and compact storage. The built-in toolbox keeps everything you need at hand.

KS 7HP-1050G

The **KS 7HP-1050G** gasoline tiller is a powerful and reliable machine for any type of soil. **The reinforced gearbox** with bevel gear ensures stable operation under load. **The ergonomic control panel** is easy to use, and **the built-in box** keeps tools at hand.

EAN code **4260405363537**



KS 9HP-1350G-3

The **KS 9HP-1350G-3** gasoline tiller is a powerful model for medium and large plots with all soil types. The **9 hp** engine, **direct drive** and reinforced **bevel gearbox** ensure reliability under load, and the **134 cm** width guarantees efficient tilling.

EAN code **4260405363544**



SCOPE OF DELIVERY

Könner & Söhnen® tillers **with belt drive** (KS 7HP-850A, KS 7HP-950A, KS 7HP-950S) and models with **direct drive and gearbox** have **a wide choice of attachments** suitable for all soil types, making it easy to adapt the tiller to the user's specific tasks.







	Metal wheels KS MW40	Metal wheels KS MW45	Pneumatic wheels KS RW50
Diameter	39.5 cm	42 cm	5.00-12″
Width	18.5 cm	19.5 cm	
Weight	8 kg	8 kg	9.6 kg
EAN code	4 260405 365272	4 260405 361618	4 260405 361687







The triple cultivator attachment lets you work the soil in two directions.	Double plough KS DP1	Adjustable hiller KS AP1	Weeding plough KS WP1
Net weight	13 kg	10.9 kg	7.6 kg
Gross weight	13 kg	12.2 kg	8.3 kg
EAN code	4 260405 363568	4 260405 363582	4 260405 363605

GASOLINE TILLERS



	KS 4HP-70	KS 7HP-850A	KS 7HP-950A	KS 7HP-950S
Engine model	**KS 160**	**KS 240**	**KS 240**	**KS 240**
Engine power, hp	**5 hp**	**7 hp**	**7 hp**	**7 hp**
Engine displacement, cm^3	**173 cm^3**	**212 cm^3**	**212 cm^3**	**212 cm^3**
Engine type		**gasoline**		
Working width, cm	**50–70 cm**	**≤ 80 cm**	**≤ 108 cm**	**≤ 108 cm**
Working depth, cm	**≤ 27 cm**	**≤ 31 cm**	**≤ 31 cm**	**≤ 31 cm**
Fuel tank volume, L	**1.5 L**	**3.6 L**	**3.6 L**	**3.6 L**
Oil tank capacity, L	**0.6 L**	**0.6 L**	**0.6 L**	**0.6 L**
Transmission oil volume, L	**0.1 L**	**–**	**1.2 L**	**1.2 L**
Drive type	**belt, worm gearbox**	**belt, chain drive**	**belt, chain drive**	**belt, chain drive**
Number of gears	**1 gear**	**+1 0 –1**	**+2 +1 0 –1**	**+2 +1 0 –1**
Reverse	**–**	**+**	**+**	**+**
Handle adjustment	**vertical**	**vertical**	**vertical**	**vertical/ horizontal**
Transport wheels	**transport wheel**	**transport wheel**	**transport wheel, option to fit additional pneumatic wheels**	**low-profile tubeless wheels**
Noise level Lpa (7m)/Lwa, dB	**68/93**	**73/98**	**73/98**	**73/98**
Gross dimensions (L×W×H), mm	**680x380x650**	**690x380x770**	**845x460x660**	**780x460x780**
Net weight, kg	**36**	**52**	**62**	**80**
Gross weight, kg	**40**	**56**	**71**	**89**
QR code				
EAN code	**4 260405 363926**	**4 260405 363506**	**4 260405 363513**	**4 260405 363520**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 116, 117

Könner & Söhnen® engines are reliable, efficient and economical, and fully comply with **European and global quality standards,** including **the latest EURO 5 emission requirements.**





	KS 7HP-1050G	KS 9HP-1350G-3 (400) / (500)
Engine model	**KS 240**	**KS 290**
Engine power, hp	**7 hp**	**9 hp**
Engine displacement, cm^3	**212 cm^3**	**270 cm^3**
Engine type	**gasoline**	**gasoline**
Working width, cm	**≤ 108 cm**	**≤ 134 cm**
Working depth, cm	**≤ 35 cm**	**≤ 35 cm**
Fuel tank volume, L	**3.6 L**	**6.0 L**
Oil tank capacity, L	**0.6 L**	**1.1 L**
Transmission oil volume, L	**1.2 L**	**1.5 L**
Drive type	**direct drive**	**direct drive**
Number of gears	**+2 +1 0 –1**	**+3 +2 +1 0 –1**
Reverse	**+**	**+**
Handle adjustment	**vertical/horizontal**	**vertical/horizontal**
Transport wheels	**pneumatic wheels 4.00–8”**	**pneumatic wheels 4.00–8” or 5.00–12”**
Noise level Lpa (7m)/Lwa, dB	**73/98**	**73/98**
Gross dimensions (L×W×H), mm	**910x460x690**	**910x570x750**
Net weight, kg	**83**	**94**
Gross weight, kg	**92**	**110**
QR code		
EAN code	**4 260405 363537**	**4 260405 363544**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 116, 117



EURO 5 **Könner & Söhnen® engines are reliable, efficient and economical,** and fully comply with **European and global quality standards,** including **the latest EURO 5 emission requirements.**

ALL-SEASON MULTIFUNCTIONAL MACHINE 4-in-1



The **Könner & Söhnen® multifunctional machine** is a self-propelled, all-season unit designed to perform a wide range of tasks throughout the year — **at home, on commercial premises or in public spaces.**

Active attachments make it easy to clear snow, dust, dirt, leaves and debris without excessive operator effort. Ideal **for private households, hotels, farms, gardens and recreation areas**, it replaces several tools at once while remaining compact and efficient.

5 KEY ADVANTAGES:

- **COST SAVINGS** — no need to buy separate machines
- **TIME SAVINGS** — quick tool-free attachment change
- **EFFORT SAVINGS** — one engine, interchangeable attachments
- **OPERATING COST SAVINGS** — maintenance and refueling of only one unit
- **SPACE SAVINGS** — compact design for year-round use







4 in 1
AN INDISPENSABLE HELPER IN ANY SEASON

MANEUVERABILITY AND VERSATILITY
Compact dimensions and a small turning radius ensure versatility and high maneuverability of the machine with the full set of attachments, even in narrow spaces.

MORE GEARS
The number of gears (5 forward and 2 reverse) lets you choose the optimal speed for any task.

QUALITY IN THE DETAILS
All joints and mountings are carefully designed and have a safety margin, guaranteeing long-lasting and reliable operation of the machine.

K&S BRAND ENGINE
A reliable and powerful 6,5 hp engine that complies with the modern EURO 5 environmental standard.

EURO 5

MAXIMUM PERFORMANCE
The direct-drive gearbox provides more power and efficiency when working with any attachment.

ALL-SEASON TYRES WITH A HIGH LEVEL OF PROTECTION
Wide pneumatic 13×4.1–6 wheels ensure easy movement on both soil and snow.



	MULTIFUNCTIONAL MACHINE KS 7HP-MFM 60	MULTIFUNCTIONAL MACHINE KS 7HP-MFM 80	MULTIFUNCTIONAL MACHINE KS 7HP-MFM 80E
Drive	**direct drive**	**direct drive**	**direct drive**
Engine model	**KS 220**	**KS 220**	**KS 220**
Engine type	**gasoline**	**gasoline**	**gasoline**
Engine power	**5.5 hp**	**5.5 hp**	**5.5 hp**
Start	**manual start**	**manual start**	**manual/electric start**
Fuel tank volume	**2.5 L**	**2.5 L**	**2.5 L**
Fuel consumption*	**1.2–1.8 L/h**	**1.2–1.8 L/h**	**1.2–1.8 L/h**
Net weight	**72 kg**	**74 kg**	**77 kg**
Gross weight	**80 kg**	**88 kg**	**88 kg**
EAN code	**4260405363933**	**4260405366583**	**4260405363940**

*Fuel consumption depends on many factors: load, fuel quality, season, altitude and technical condition.

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 116, 117

EQUIPMENT FOR THE MULTIFUNCTIONAL MACHINE

The **Könner & Söhnen®** multifunctional machine with a brush is a versatile device for year-round use. The brush has many functions — it quickly and efficiently clears dust, dirt, fallen leaves and snow. An indispensable helper for keeping yards, driveways and garages clean, as well as paths in parks, squares and other areas.

- **High-quality bristles**
- **Adjustable working angle**

BRUSH

KS 7HP-MFM 60
KS 7HP-MFM 80E

Brush diameter	**345 mm**
Working width	**60/80 cm**
Angle adjustment	**±150°**
Brush rotation speed	**255 rpm**
Gross dimensions (60/80 cm)	**620/820×570×420 mm**
Net weight (60/80 cm)	**32/35 kg**
Gross weight (60/80 cm)	**38/43 kg**



The dust container for the **Könner & Söhnen® brush** efficiently collects dust and dirt, preventing it from spreading when working at high speed.

- **Large container for dust and debris**
- **High maneuverability thanks to 360° swivel wheels**

DUST CONTAINER

KS MFM-DB 60
KS MFM-DB 80

Working width	**60/80 cm**
Gross dimensions (60/80 cm)	**630/830×390×335 mm**
Net weight (60/80 cm)	**6.6/8.5 kg**
EAN code	**4260405363957** **4260405363964**



ADDITIONAL ACCESSORIES

A set of spare brushes for a wide range of cleaning tasks throughout the year. Suitable for the KS 7HP-MFM 80E and KS 7HP-MFM 60 brushes. Quickly and efficiently clears dust, dirt, fallen leaves and snow.

SET OF SPARE BRUSHES

KS MFM BK 80/26

Gross dimensions (60/80 cm)	**360x360x340 mm**
Net weight (60/80 cm)	**4.96 kg**
EAN code	**4260405364039**



The efficient **auger snow blower** for the **Könner & Söhnen®** multifunctional machine quickly copes with large drifts and compacted snow.

- **The sharp serrated edge easily handles even compacted snow**
- **Reinforced auger with stiffening ribs**
- **Includes a snow shovel and an auger rotor**

SNOW BLOWER

KS MFM-SB 60

Chute rotation	**270°**
Snow throwing distance	**0-10 m**
Gross dimensions	**600x470x470 mm**
Net weight	**21 kg**
EAN code	**4260405363971**



The snow shovel for the **Könner & Söhnen®** multifunctional machine is designed not only for clearing snow, but also for clearing sand and other bulk materials, as well as for leveling and preparing soil.

- **Equipped with a handle for easier control**

SNOW SHOVEL

KS MFM-SS 60
KS MFM-SS 80

Working width	**60/80 cm**
Gross dimensions (60/80 cm)	**620/820x465x110 mm**
Net weight (60/80 cm)	**6.6/7.7 kg**
EAN code	**4260405363988** **4260405363995**



ADDITIONAL ACCESSORIES

SNOW CHAIN

KS MFM SC 13/4.1

Net weight (60/80 cm)	**2.18 kg**
EAN code	**4260405364046**

PNEUMATIC WHEELS

KS MFM RW 13/4.1

Wheel size	**13*4.1-6**
EAN code	**4260405364053**

LED ILLUMINATION

KS MFM LAMP

Net weight (60/80 cm)	**0.16 kg**
EAN code	**4260405364022**





WATER

TRADITION
DEUTSCHER
QUALITÄT



PRESSURE WASHERS



WATER PUMPS

HIGH-PRESSURE WASHERS



Engine power	Pressure	Water flow rate
1600 – 2200 W	90 – 160 bar	5.2 – 6.5 l/min

Könner & Söhnen® high-pressure washers make it easy to clean cars, terraces, facades and garden tools. Depending on the model, they are equipped with **an automatic start/stop** system, **a hose reel, a telescopic handle** and operating modes **both vertically and horizontally**. Adjustable pressure guarantees a perfect result for any task.

HIGH PERFORMANCE AND DURABILITY

Powerful **electric motors**, including modern **brushless** ones, ensure high efficiency and wear resistance. **Aluminium pumps** with **stainless steel** pistons maintain stable pressure and long-lasting operation.

USER COMFORT

Quick-release connections, a hose reel and a compact design ensure easy transport and storage. **Ergonomic guns and adjustable nozzles** guarantee precise control of the water flow on any surface.

VERSATILE USE

Ideal for washing **bicycles, garden furniture, paving stones, SUVs and agricultural machinery.**

COMPLETE SET

Every washer is ready to use and equipped with practical accessories — **a foam nozzle, a turbo nozzle and an adjustable spray lance**, and on some models **a hose reel**. Everything you need for clean and efficient work straight out of the box.



KS PW130H

Voltage	**220–240 V**
Frequency	**50/60 Hz**
Power	**1600 W**
Maximum pressure	**130 bar**
Working pressure	**90 bar**
Water flow rate	**5.2 L/min**
Dimensions (L×W×H)	**386×250×280 mm**
Weight	**5.4 kg**
EAN code	**4260405368648**



A compact **1600 W** high-pressure washer for household use. The horizontal body ensures stability, and **the aluminum pump with stainless steel pistons** ensures durability. The **7 m** hose and the **550 ml** foam nozzle are ideal for washing cars, bicycles and garden furniture.

- Stable horizontal design
- Light and easy to carry
- High efficiency with low energy consumption
- Durable aluminum pump with steel pistons

KS PW145V

Voltage	**220–240 V**
Frequency	**50/60 Hz**
Power	**1800 W**
Maximum pressure	**145 bar**
Working pressure	**100 bar**
Water flow rate	**5.5 L/min**
Dimensions (L×W×H)	**365×305×555 mm**
Weight	**9.2 kg**
EAN code	**4260405368655**



The **Könner & Söhnen® 1800 W** high-pressure washer delivers a pressure of up to **145 bar** and a water flow of **5.5 L min** — ideal for cleaning terraces, facades and cars. **The telescopic handle and hose reel** make transport and storage easier, and the quick-release connections make connection easier. The set includes **a 550 ml foam nozzle, a turbo nozzle and an adjustable spray lance** for various types of work.

- Telescopic handle and hose reel
- Compact accessory storage
- Quick-release nozzle connections
- Efficient cleaning of medium-sized surfaces

KS PW160HV

Voltage	**220–240 V**
Frequency	**50 Hz**
Power	**1800–2200 W**
Maximum pressure	**160 bar**
Working pressure	**70–110 bar**
Water flow rate	**5.6 L/min**
Dimensions (L×W×H)	**520×410×385 mm**
Weight	**12.9 kg**
EAN code	**4260405368662**



The **KS PW160HV** high-pressure washer is suitable for all tasks — from delicate washing to removing stubborn dirt. A power of **1800–2200 W**, a pressure of **160 bar** and a flow rate of **5.6 L/min** ensure efficient work. It operates vertically or horizontally and has **a 1 L foam nozzle, an 8 m hose** and pressure adjustment for convenience.

- Adjustable washing power
- Vertical and horizontal operating modes
- Enlarged 1 L foam nozzle
- High pressure for demanding tasks

KS PW160V-BL

Voltage	**220–240 V**
Frequency	**50/60 Hz**
Engine type	**brushless**
Power	**2000 W**
Maximum pressure	**160 bar**
Working pressure	**110 bar**
Water flow rate	**6.5 L/min**
Weight	**16.0 kg**
EAN code	**4260405368679**



The **Könner & Söhnen® 2000 W** high-pressure washer is equipped with a brushless **induction motor** for powerful and long-lasting operation. The metal-braided hose **8 m** and **metal nozzle** ensure reliability, while the telescopic handle, reel and ergonomic gun ensure comfort during use.

- Brushless induction motor
- Reinforced metal-braided hose
- Metal nozzle and strong components
- High performance for long work

BRUSHLESS MOTOR

POWERFUL BRUSHLESS MOTOR

The brushless motor provides high performance and a long service life. This type of motor has fewer moving parts, is maintenance-free and runs with a low noise level.



	KS PW130H	KS PW145V	KS PW160HV	KS PW160V-BL
Voltage	**220–240 V**	**220–240 V**	**220–240 V**	**220–240 V**
Frequency	**50 Hz**	**50 Hz**	**50 Hz**	**50 Hz**
Power	**1600 W**	**1800 W**	**adjustable motor power 1800–2200 W**	**2000 W**
Maximum pressure	**130 bar**	**145 bar**	**160 bar**	**160 bar**
Working pressure	**90 bar**	**100 bar**	**70–110 bar**	**110 bar**
Water flow rate	**5.2 L/min**	**5.5 L/min**	**5.6 L/min**	**6.5 L/min**
Hose length	**7 m**	**7 m**	**8 m**	**8 m**
Dimensions (L×W×H)	**386×250×280 mm**	**365×305×555 mm**	**520×410×385 mm**	**380×380×710 mm**
Weight	**6.1 kg**	**11 kg**	**12.9 kg**	**16.0 kg**
EAN code	**4260405368648**	**4260405368655**	**4260405368662**	**4260405368679**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 117

SCOPE OF DELIVERY



Foam nozzle
KS FJC1L

Volume	**1000 ml**
Max. temperature	**60 °C**
EAN code	**4260405368693**



Foam nozzle
KS FJC1L-2

Volume	**1000 ml**
Max. temperature	**60 °C**
EAN code	**4260405368723**



Wheel brush
KS WB120

Maximum pressure	**150 bar**
Gross weight	**0.72 kg**
EAN code	**4260405368709**



Water suction hose
KS SPH 5M

Maximum pressure	**10 bar**
Hose length	**5 m**
EAN code	**4260405368716**



WATER PUMPS



Engine power	Water lift height	Reinforced steel frame	Starting system
6.5-9.0 hp	20 m-50 m	ø 28 mm	manual

Könner & Söhnen® water pumps are reliable, high-performance machines for efficient liquid transfer. The line includes models for household, agricultural and professional use, covering all needs with proven reliability. Pumps with **gasoline engines** provide high mobility and performance, and **the sturdy design** allows large volumes of water to be pumped quickly — ideal for draining flooded areas, basements and tanks, as well as for supplying water to farms and irrigation systems and for firefighting. The range includes models for **clean, dirty or aggressive liquids** (seawater, chemicals). Each pump has a reinforced frame, a powerful engine and increased performance for long, reliable operation. The ideal solution for the home, farm or garden — **K&S works autonomously**, even in places without electricity.





RELIABLE PROPRIETARY ENGINES

The water pumps are equipped with reliable and economical proprietary K&S engines, each with a unique serial number and compliant with **European quality standards**, including the **EURO 5** standards. Easy starting and low vibration guarantee comfort, reliability and stable operation over a long period.

OUR RANGE INCLUDES MODELS FOR:

- Clean water
- Heavily contaminated water
- Chemical liquids (seawater, chemicals)



Steel frame Ø 28 mm

Additional protective grille against burns

Wide suction inlet

Reinforced housing

Reinforced frame design for heavy-duty conditions

Efficient and economical EURO 5 engine from Könner & Söhnen®

EURO 5

VIEW THE 3D MODEL





SCOPE OF DELIVERY

The **Könner & Söhnen®** water pump housing is made of **strong aluminum** that is resistant to corrosion, temperature changes and deformation. The large **steel fuel tank** extends run time and reduces the need for refueling.

VIBRATION DAMPERS

All models are equipped with **rubber shock absorbers** that reduce vibration and protect both the surface and the pump frame from damage during operation.



WATER PUMPS FOR CLEAN WATER

Könner & Söhnen® clean water motor pumps (KS 50 and KS 80) are suitable for household and industrial use. Ideal for irrigation, water supply, pumping drinking water, draining pools or flooded areas, and for emergency response during floods. They can work with **slightly contaminated water** with soft inclusions (algae, grass, leaves) of up to 5 mm and a concentration of up to 5%.

KS 50

Pump type	**for clean water**
Max. capacity	**500 L/min**
Max. lift height	**28 m**
Max. suction height	**7 m**
EAN code	**4260405361342**



KS 80

Pump type	**for clean water**
Max. capacity	**1000 L/min**
Max. lift height	**28 m**
Max. suction height	**7 m**
EAN code	**4260405361359**





WATER PUMPS FOR HEAVILY CONTAMINATED WATER

The **Könner & Söhnen® KS 80MW** pump is designed for pumping **heavily contaminated liquids in difficult conditions**. The reinforced design allows it to work with water containing solid particles with a diameter **of up to 25 mm**. Ideal for draining ponds and sewers, cleaning rivers and lakes, and pumping wastewater during drilling. It ensures **reliability and durability** even in the most difficult situations.

KS 80 MW

Pump type	**for heavily contaminated water**
Max. capacity	**1000 L/min**
Max. lift height	**20 m**
Max. suction height	**7 m**
EAN code	**4260405364640**



WATER PUMPS FOR DIRTY WATER

The **Könner & Söhnen® KS 80TW** dirty water pump is designed for liquids containing **up to 25% solid impurities up to 20 × 25 mm in size**. Thanks to its high performance, it is ideal for **municipal services, agriculture and construction sites**, ensuring reliable operation in difficult conditions.

KS 80 TW

Pump type	**for dirty water**
Max. capacity	**1100 L/min**
Max. lift height	**26 m**
Max. suction height	**7 m**
EAN code	**4260405361373**



MOTOR PUMP FOR AGGRESSIVE LIQUIDS (SEAWATER, CHEMICALS)

This type of pump is designed for pumping **seawater, weak acids and liquids with a high flash point**. Suitable for use in **agriculture** (fertilizer application), as well as in **the chemical and construction industries** for transporting toxic or chemical solutions.

! Not intended for **flammable or solvent-containing liquids, including gasoline.**

KS 80 CW

Pump type	**for aggressive liquids (seawater, chemicals)**
Max. capacity	**1000 L/min**
Max. lift height	**26 m**
Max. suction height	**7 m**
EAN code	**4260405364633**









	KS 80MW	KS 80TW	KS 80CW
Pump type	for heavily contaminated water	for dirty water	for chemical liquids (seawater, chemicals)
Inlet/outlet port diameter, mm	80/80	80/80	80/80
Max. capacity, L/min	1000	1000	1000
Rated rotation speed, rpm	3600	3600	3600
Max. lift height, m	20	26	26
Max. suction height, m	7	7	7
Engine type	4-stroke gasoline	4-stroke gasoline	4-stroke gasoline
Engine model	KS 280	KS 250	KS 250
Engine power, hp	9.0	7.0	7.0
Engine displacement, cm^3	269	212	212
Starting system	manual	manual	manual
Fuel tank volume, L	6.0	3.6	3.6
Noise level Lpa (7 m)/Lwa, dB	79/104	79/104	79/104
Overall dimensions (L×W×H), mm	720x535x600	530x460x435	590x420x450
Packed dimensions (L×W×H), mm	725x540x600	540x470x450	605x435x480
Net weight, kg	60	35	28
Gross weight, kg	63	37	30
QR code			
EAN code	4260405364640	4260405361373	4260405364633

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 116, 117



EURO 5 **Könner & Söhnen® engines are reliable, efficient and economical,** and fully comply with **European and global quality standards,** including **the latest EURO 5 emission requirements.**

HIGH-PRESSURE WATER PUMPS

Könner & Söhnen® high-pressure motor pumps lift water **up to 50 m**, making them ideal **for firefighting, irrigation and pumping clean water** over long distances or to elevated areas. The **KS 50HP** pump has one **50 mm** inlet and three outlets — one **50 mm** and two **40 mm**, allowing water to be supplied in three directions simultaneously. This configuration ensures faster delivery and higher efficiency in difficult conditions.

KS 50 HP

Pump type	**high-pressure**
Max. capacity	**500 L/min**
Max. lift height	**50 m**
Max. suction height	**7 m**
EAN code	**4260405361366**







	KS 50	KS 80	KS 50HP
Pump type	**for clean water**	**for clean water**	**high-pressure**
Inlet/outlet port diameter, mm	**50/50**	**80/80**	**50/40, 50, 40**
Max. capacity, L/min	**Max. 500**	**Max. 1000**	**Max. 500**
Rated speed, rpm	**3600**	**3600**	**3600**
Max. lift height, m	**Max. 28**	**Max. 28**	**Max. 50**
Max. suction height, m	**Max. 7**	**Max. 7**	**Max. 7**
Engine type	**4-stroke gasoline**	**4-stroke gasoline**	**4-stroke gasoline**
Engine model	**KS 250**	**KS 250**	**KS 250**
Engine power, hp	**7**	**7**	**7.0**
Engine volume, cm^3	**212**	**212**	**212**
Starting system	**manual**	**manual**	**manual**
Fuel tank volume, L	**3.6**	**3.6**	**3.6**
Noise level Lpa (7m)/Lwa, dB	**79/104**	**79/104**	**79/104**
Net dimensions (L×W×H), mm	**490x400x410**	**490x400x410**	**485x434x432**
Gross dimensions (L×W×H), mm	**510x440x440**	**510x440x440**	**495x445x445**
Net weight, kg	**24**	**26**	**29**
Gross weight, kg	**26**	**28**	**31**
QR code			
EAN code	**4260405361342**	**4260405361359**	**4260405361366**

ACCESSORIES FOR THIS PRODUCT (sold separately)
page: 116, 117

K&S ACCESSORIES

All the accessories presented are practical and necessary for operating **Könner & Söhnen®** equipment. We also offer **branded clothing and merchandise** that can be used for sales, promotions or customer loyalty programs.

FUEL CANISTER

	KS CAN 5	KS CAN 10
Special antistatic plastic		
Capacity	**5 L**	**10 L**
Dimensions	**260x128x255 mm**	**330x165x300 mm**
EAN code	**4260405362127**	**4260405363025**



ENGINE OIL

Könner & Söhnen® semi-synthetic engine oil, made in the EU, is suitable for **gasoline and diesel** engines. The **SAE 10W 30** viscosity ensures **fuel savings, stable operation** all year round and a long engine life. The oil reliably **protects against wear**, contains detergent and **anti-corrosion additives** and **reduces fuel consumption**.

ULTRA
PERFORMANCE



KS 10W-30	
Capacity	**1 L**
Quality class	**API SL/CF**
Viscosity	**SAE 10W-30**
EAN code	**4260405362165**

TRANSMISSION OIL

Könner & Söhnen® mineral transmission oil of the **API GL-5** class is suitable for various types of manual transmissions — **gearboxes, hypoid gears, cardan drives and axles.**

Ideal for **automotive, agricultural and construction machinery**, it provides reliable protection and stable operation all year round.

ULTRA
PERFORMANCE



KS GEAR OIL 80W-90	
Capacity	**1 L**
Quality class	**API GL-5**
Viscosity	**SAE 80W-90**
EAN code	**4260405364060**

GASOLINE STABILIZER

KS G-STAB 60



Könner & Söhnen® ULTRA Performance series gasoline stabilizer	
Capacity	**250 ml**
Dosage	**250 ml of additive per 40–60 liters of gasoline**
EAN code	**4260405365388**

- **Preserves the original fuel quality during storage.**
- **Protects the electric fuel pump against corrosion and wear, even if moisture enters the system.**
- **Reliably protects the fuel system during forced engine downtime.**
- **Ensures easy starting after long storage.**



Protects the eyes against mechanical impacts during work.

Protective glasses
KS GL-1

Polycarbonate glasses	**1 pcs**
EAN code	**4260405364770**



Reliable protection of hands against mechanical damage.

Gloves
KS GLOVES L

100% genuine leather + textile	
EAN code	**4260405362547**



A comfortable cap for work and protection from the sun.

Cap
CAP KS

Color	**gray**



KS T-SHIRT

Men's sizes (M, L, XL)
Women's size (S)



KS POLO SHIRT

Men's sizes (M, L, XL)



KS SWEATSHIRT

Men's sizes (M, L, XL)

BENEFITS FOR DEALERS

With **more than 15 years of experience, Könner & Söhnen®** offers partners a ready-made business model — reliable products, powerful marketing and full after-sales service. We know the needs of every sales channel and create all the conditions for your success.

Dimax Group provides service, warranty and technical support in all markets where **K&S** equipment is available.

WHY PARTNER WITH K&S

- High-quality products, proven over time and by demanding European customers.
- Favorable terms of cooperation and transparent partnerships.
- Comprehensive marketing support: catalogs, visual materials, videos and showroom design.
- Pre-sale inspection and quality control of every batch at the European center.
- Full after-sales service and sales staff training.
- Original spare parts and official warranty.


A COMPREHENSIVE TURNKEY SOLUTION

By joining **Könner & Söhnen®**, you get more than just a product line — you get **a ready-made business system** backed by a global brand trusted by professionals and households across Europe. **We are interested in your success — let's grow together.**

MARKETING AND SERVICE SUPPORT

Our marketing team provides dealers with all the necessary tools — product photos, videos, POS materials and online content — for effective promotion and sales.

We also offer sales staff training and clear technical documentation to simplify every stage of work.



TRADITION
DEUTSCHER
QUALITÄT

EXTENDED WARRANTY — A POWERFUL SALES ADVANTAGE

Give your customers more confidence at no extra cost.

Some **Könner & Söhnen®** products can be registered for an extended warranty — **up to 5 years** on brushless motors and **up to 2 years** on lithium-ion batteries, completely **free of charge**.

The simple registration process (via QR code or at warranty.konner-sohnen.com) takes less than two minutes and adds real value to every sale. This means greater trust, easier decision-making and stronger brand loyalty — we are glad that customers value long-term support directly from the manufacturer.



SCAN ME

INTERNATIONAL SUPPORT FOR CUSTOMERS AND PARTNERS

- Professional advice on all technical issues
- Full after-sales customer service
- Sales staff training on Könner & Söhnen® equipment

VIDEO PACKAGE ON EQUIPMENT USE

- Getting started
- Commissioning
- Operation of individual functions
- Other materials

WARRANTY AND SERVICE

- High-quality service using original spare parts
- International warranty

WE ARE INTERESTED IN YOUR SUCCESS! WE INVITE YOU TO PARTNER WITH US!



DIMAX GROUP



KONNER-SOHNEN.COM

ENERGY

GARDEN

AUTO

TRADITION DEUTSCHER QUALITÄT